
Spareparts

TP 216 MOBILE turntable

adjustable ZE

A21634

Linddana A/S . Ølholm Bygade 70 . DK-7160 Tørring . T +45 75 80 52 00 . F +45 75 80 54 11 . tp@linddana.com . www.linddana.com



Item	Qty	Description	Description	Part no	
10	1	Mærkatsæt mobil E-control	Stickers mobile E-control	17-03144	
9	1	Undervogn TP216 ZE	Undercarrige TP216 ZE	21-02906	
8	1	Motorhjelm og afdækninger TP216	Bonnet and covers TP216	21-02758	
7	1	Tragt komplet TP216	Complet funnel TP216	21-02787	
6	1	TP215 ZE modulsamling	TP215 ZE module assembly	21-02682	
5	1	Knott trailer 2-akslet justerbar2700 kg		28-00627	
4	1	Rotorhus, samling	Rotor housing, assembly	21-02781	N/A
3	1	Mekanisk remstrammer	Mechanical belt tightener	21-02302	
2	1	Drejekrans kit TP215	Turntable kit TP215	21-02299	
1	1	Standard dele mobil TP216	Standard parts mobile TP216	21-02815	

Rev	Date	DESCRIPTION	INI

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	cl
	Mass: 2026,5 kg	Date: 23/5-26

Plate thickness:

Material:

Surface:


Bending matrix:


Title: TP 216 MOBILE turntable adjustable ZE

Draw. no.: A21634

Common parts

Linddana A/S . Ølholm Bygade 70 . DK-7160 Tørring . T +45 75 80 52 00 . F +45 75 80 54 11 . tp@linddana.com . www.linddana.com





Item	Qty	Description	Description	Part no	
5	2	Stop bøsning	Stop bushing	71003490	
4	1	Skærm over indføring, Ubeh.	Cover over in-feed, Untr.	21-00561	
3	1	Bundramme TP216	Frame TP216	21-02816	
2	1	Blokmagnet 20x10x5mm	Magnet 20x10x5mm	20042205	AKT IV
1	1	Afskærmning til sensor	Shield for sensor	81004720	AKT IV

Rev	Date	DESCRIPTION	INI
1	18/5-26	Stopklodser tilføjet	CL
2			
3			
4			

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	JH
	Mass: 79,0 kg	Date: 10-02-2026

Plate thickness:


Material:

Surface:

Bending matrix:

Title: Standard dele mobil TP216
Standard parts mobile TP216

Draw. no.: 21-02815



Item	Qty	Description	Description	Part no	
7	1	Højre vange, kompl.	Right side member, compl.	21-02819	
6	1	Frontvange trailer	Front side member for trailer	21-02821	
5	8	Gummidæmper AMC TF55 CR60	Rubbermount AMC TF55 CR60	20043401	
4	8	Bagplade gummidæmper	Backingplate damper	20043402	
3	4	Dæmperbeslag	Damperbracket	28-00565	
2	1	Venstre vange, kompl.	Left side member, compl.	21-02817	
1	1	Bagvange trailer	Rear side member for trailer	21-02822	


Rev	Date	DESCRIPTION	INI
1			
2			
3			
4			

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	JH
	Mass: 67,8 kg	Date: 10-02-2026

Plate thickness:	Material:
Surface:	Bending matrix:

Title:	Draw. no.:
Bundramme TP216 Frame TP216	21-02816



Item	Qty	Description	Description	Part no	
7	1	Strammearm samling	Tightener arm ass.	21-02303	
6	1	Arm remstrammer	Arm belt tightener	17-01937	
5	1	Rørsplit	Pipe pin	20042042	
4	1	Håndtag remstrammer	Handle for belt tighetener	17-01938	
3	2	Bøsning	Bushing	17-01962	
2	1	Vinkel til aktuator	Angle for actuator	17-01176	
1	1	Håndtag plade 30 x 5-6mm	Handle flat 30 x 5-6mm	20043054	


Rev	Date	DESCRIPTION	INI
1	23/02-24	Tilføjet pos. 3	JH

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	cl
	Mass: 7,4 kg	Date: 16-08-2022

Plate thickness:	Material:
Surface:	Bending matrix:

Title:	Draw. no.:
Mekanisk remstrammer Mechanical belt tightener	21-02302



Item	Qty	Description	Description	Part no
10	1	Afstandsring bred Starter konsol	Distance ring Starter console	21-02651
9	1	Lejeaksel f. remstrammer	Bearing axle f. belt tightener	21-02650
8	2	Sætskrue M12x25	Set screw M12x25	20030015
7	2	Rip-Lock skive 12 mm, lille	Rip-Lock washer 12 mm, small	20030393
6	1	Ø95x3 SPB remskive for TP Starter	Ø95x3 SPB pulley for TP Starter	21-02304
5	2	Kugleleje	Ball bearing	20041872
4	1	Nav til strammearm	Hub for tightener arm	17-01464
3	2	Bøsning	Bushing PAF 35160 P10	20010101
2	1	Låsering, udvendig Ø35 mm	Locking ring, external Ø35 mm	20010103
1	1	Remstrammer beslag	Belt tightner fixture	17-01458

Rev	Date	DESCRIPTION	INI
1	11.03.25	Udskiftet aksel+afstandsring med ny type	KR
2			
3			
4			

Linddana A/S

Tolerances: ISO 2768-1-m	Tolerances welding draw.: ISO 2768-1-c	Sign.: cl
	Mass: 6,0 kg	Date: 25-01-2023

Plate thickness:


Material:


Surface:

Bending matrix:

Title: Strammearm samling
Tightener arm ass.

Draw. no.: 21-02303





Item	Qty	Description	Description	Part no	
9	2	Mærkat tragt advarsel indvendig		20043701	
8	2	Mærkat E-control		20043700	
7	2	Stop skilt	Stop sign	20040987	
6	1	Løftepunkt	Lifting point	20041103	
5	1	Dansk design mærkat		20042783	
4	2	MÆRKAT DO´S & DONT´S Venstre		20043699	
3	1	Læs instruktionsbog		20042709	
2	1	Valse advisering		20042708	
1	2	Mærkat parkerings advarsel		20042704	

Rev	Date	DESCRIPTION	INI
1			
2			
3			
4			
5			

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	cl
	Mass: 0,0 kg	Date: 03-07-2024

Plate thickness:

Material:


Surface:


Bending matrix:


Title: Mærkatsæt mobil E-control
Stickers mobile E-control


Draw. no.: 17-03144

Base module









Item	Qty	Description	Part no
161	2	Plade for Rotorhus led	21-02663
160	1	Vinkel flange 1/2"	20020087
159	1	Sugeslange	21-02813
158	1	Rotor, komplet med aksel	21-02641
157	1	Kileremsskærm	21-02785
155	1	Pumpebeslag	17-02803
154	1	Afstandsplade	17-02802
152	1	Gevindflange 3/4"	20020173
150	1	16 ccm tandhjulspumpe Grp. 2	20043455
148	2	Spændebånd, enkelt HPJ 38	20040041
147	1	Rørstuds til pumpe	31005260

Item	Qty	Description	Part no	
145	1	Omdrejningstæller ring	17-02403	
144	1	Støtte til tragt	21-02505	
143	1	Firkantafstryger	22-00038	
86	1	sensorbeslag	21-02419	
84	1	Afstandsring for leje	21-02280	
83	1	Dækplade rotorhus	21-02333	
81	1	kileremstransmission pumpe	21-02327	
78	1	Indskruning 12x1/2	20001102	
77	1	Indskruning ø22L x 3/4" BSP	20042821	
75	7	Indskruning ø15L x 1/2" BSP	20001202	
74	1	Manøvere ventil TP Easy Controle	20020588	
73	2	Maskinbolt M16x65	20030026	
72	2	Sætskrue M16x35	20030021	
71	1	Dækplade med møtrikker, bag	21-01085	
70	1	Hovedleje, fast, med hus	21-01046	
69	4	Maskinbolt M16x75	20030190	
68	1	Møtrikplade ved drevside	51003771	
67	8	Rip-Lock skive 16 mm, medium	20030125	
66	1	Hovedleje, bevægeligt, med hus	21-01106	
65	2	Låseblik for TP130-215	17-00756	
64	2	Centreringsbeslag for TP130-275	17-00753	
63	1	Returfilter monteret	21-02326	
59	2	Afstandsplade	21-01994	
58	2	Bundprop Ø22	20042957	R
57	2	Omløber, ø22L, M30x2	20042808	
56	1	Valse aftaster	71004700	
55	4	Sætskrue M12x35 10.9	20030314	
54	1	Holder til føler, komplet	21-01102	
53	4	Undersænket skrue M10x35	20030134	
52	2	Sætskrue M12x25	20030015	
51	3	Sætskrue M8x10	20030196	
50	3	Sætskrue M8x16	20030002	
49	2	Rip-Lock skive 8 mm, stor	20030396	
48	4	Sætskrue M10x25	20030011	
47	2	Nord-Lock skive 12 mm	20030256	
46	1	Smørenippel 1/8"	20030079	
45	1	Fjeder 7x65x250	20043604	
44	3	Stopklods	51001340	
43	1	Valsekonsol, komplet	21-02814	
42	1	Nederste valse	21-01040	
41	1	Leje PCJ 25	20010021	
40	1	Hydraulikmotor W320 WR 322cc	20020019	
39	1	Ring til hydraulikmotor	51003900	
38	1	Dækplade, højre	21-01053	
37	1	Dækplade, venstre	21-01052	
36	1	Skærm for nederste valse	21-01050	
35	12	Rip-Lock skive 10 mm, lille	20030392	
34	4	Undersænket skrue M10x30	20030035	
33	2	Sætskrue M12x45 10.9	20030315	
32	2	Modstål, lodret - højre+venstre	51003850	
31	1	Modstål, vandret	21-01045	
30	1	Gevindplade til modstål	21-01044	
29	1	Møtrikholder	21-00677	
28	8	Popnitte 8 mm, 6 kantet	20030331	
27	3	Sætskrue M12x60	20030383	
26	3	PUR sikkerheds ring ø20x10mm	20041468	
25	1	Dækplade	21-00687	
24	3	Låsemøtrik M12	20030044	
23	6	Undersænket skrue M10x25	20030203	
22	14	Låsemøtrik M10	20030043	
21	1	Sætskrue M10x20	20030212	
20	1	Rip-Lock skive 6 mm, lille	20030390	
19	1	Låsemøtrik M6	20030041	
18	1	Undersænket bolt M6x16	20030155	
17	5	Sætskrue M8x12	20030001	
16	11	Rip-Lock skive 8 mm, lille	20030391	
15	11	Rip-Lock skive 12 mm, lille	20030393	
14	1	Skueglas	20020311	
13	1	Mintor oliepåfyldningshætte	20041358	
12	1	Udluftnings prop 1/4"	20041357	
11	1	Udskifteligt svøb	21-01022	
10	1	Trekantsafstryger	21001230	
9	1	Aksel til rotorhus, øverste	21-01086	
8	2	Bøsning med krave Ø24/ø18x30	51000330	
7	1	Trykfjeder til rotorlås	20040767	
6	1	Rotorlås	51003970	
5	1	Holder til rotorlås	51003990	
2	1	Øvre rotorhus Manuel	21-01596	
1	1	Rotorhus, nedre, manuel	21-02780	

Rev	Date	Description	Ini

Linddana A/S


N/A: Not available as spare part.
R: Only available as spare part.

Date: 09-02-2026

Sign.: JH

Title: Rotorhus, samling
Rotor housing, assembly

Draw. no.: 21-02781



Item	Qty	Description	Description	Part no	
5	1	Spændeelement 20A 55/85	Clamping fixture 20A 55/85	20040312	
3	1	Rotor bearbejdning	Rotor machining	21-02764	
1	8	Bolt til kniv M12x1,5x35	Bolt for knife M12x1,5x35	20043520	
2	2	Kniv for TP216	Knife for TP216	21-02644	
4	1	Hovedaksel, glat	Main shaft, smooth	21-02267	

Rev	Date	DESCRIPTION	INI

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	JH
	Mass: 135,3 kg	Date: 30-01-2026

Plate thickness:


Material:

Surface:

Bending matrix:

Title: Rotor, komplet med aksel
Rotor, complete with axle

Draw. no.: 21-02641



Item	Qty	Description	Part no	
6	1	Pakdåse	20010115	
5	1	Ring+simmerring	31001757	
4	1	Simmering CR 54x80x10 Stålhus	20010051	
3	1	Sfærisk rulleleje	20010015	
2	2	Smørenippel M8x1,25	20030078	
1	1	Lejehus f. sfærisk rulleleje	51003810	

Rev	Date	Description	Ini
1			
2			
3			
4			
5			

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	SS
	Mass: 5,0 kg	Date: 06-01-2016

Plate thickness:


Material:

Surface: Sort RAL9004

Bending matrix:

Title: Hovedleje, fast, med hus
Bearing, fixed, with housing

Draw. no.: 21-01046



Item	Qty	Description	Part no	
6	1	Simmering 50x75x10	20010034	
5	1	Simmering CR 54x80x10 Stålhus	20010051	
4	1	Ring 2 f.lejehus	31001759	
3	1	Sfærisk rulleleje	20010015	
2	1	Smørenippel M8x1,25	20030078	
1	1	Lejehus f. sfærisk rulleleje	31001755	

Rev	Date	Description	Ini
1			
2			
3			
4			
5			

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	SS
	Mass: 6,1 kg	Date: 05-02-2016

Plate thickness:


Material:

Surface: Sort RAL9004

Bending matrix:

Title: Hovedleje, bevægeligt, med hus
Bearing, floating, with housing

Draw. no.: 21-01106



Item	Qty	Description	Description	Part no	
5	1	Feder til remhjul 8x7x32	Key for V-belt pully 8x7x32	21005290	
4	1	Tryk skive	Pressure washer	21001890	
3	1	Remskive A 90/2		21005180	
2	2	Kilerem XPA 932		20040939	
1	1	Remskive SPA 90/2, pumpe	V-belt pully SPA 90/2, pump	31005180	


Rev	Date	DESCRIPTION	INI

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	cl
	Mass: 2,6 kg	Date: 07-02-2023

Plate thickness:	Material:
Surface:	Bending matrix:

Title:	Draw. no.:
kileremstransmission pumpe	21-02327



Item	Qty	Description	Part no	
15	4	Sætskrue M10x25	20030011	
14	2	Låsemøtrik M10	20030043	
13	6	Rip-Lock skive 10 mm, lille	20030392	
12	2	Undersænket skrue M10x30	20030035	
11	2	Sætskrue M12x35 10.9	20030314	
10	1	Smørenippel 1/8"	20030079	
9	1	Hydraulikmotor W320 WR 322cc	20020019	
8	1	Valsekonsol	21-01509	
7	2	Nord-Lock skive 12 mm	20030256	
6	2	Afskraber	21001245	
5	1	Låsepal	51001480	
4	1	Aksel for øverste valsekonsol	51003480	
3	1	Split 4x32	20030074	
2	1	Leje PCJ 25	20010021	
1	1	Øverste valse - UK	21-02666	

Rev	Date	Description	Ini
1			
2			
3			
4			
5			

Linddana A/S

N/A: Not available as spare part.
R: Only available as spare part.


Date: 10-02-2026

Sign.: JH

Title: Valsekonsol, komplet
Roller console, complete

Draw. no.: 21-02814

Infeed chute and E-control




Item	Qty	Description	Description	Part no	
20	2	Regpoint LED 0,8m DC 12-24V NPL	Regpoint LED 0,8m DC 12-24V NPL	20043669	
19	1	MULTIPOINT V left	Rear light, left	20043662	
18	1	MULTIPOINT V rigth	Rear light, right	20043661	
16	1	Klapbar tragt HD		21-02626	
15	0	Baglygte L915 venstre	Rear light L915 left	20041888	
14	0	Baglygte L915 højre	Rear light L915 right	20041920	
13	2	Refleks, gul	Reflex, yellow	20040125	
12	1	Lygtebom	Lightbar	21-02838	
11	0	Nummerpladelys LED	Number plate light LED	20041890	
10	2	Gummi clamps Ø23,8		20041046	
9	4	Gummi clamp Ø11,1	Rubber clamp Ø11,1	20041981	
8	2	Bøsning for omdrejningspunkt	Bushing for hub	51004870	
7	2	Vinkel beslag for lygtebom	Angle bracket for lightbar	21-01791	
6	1	PVC-gardin til tragt TP215		21-01763	
5	2	Beslag for nødstop	Fixture for Emergency stop	17-00621	
4	1	Manual boks	Manual box	20041997	
3	1	Skinne for gardin	Band for curtain	21-00876	
2	2	Vibrationsdæmper P 20/15	Vibration absorber P 20/15	20040007	
1	1	Indertragt, svejst	Inner funnel, welded	21-01731	

Rev	Date	DESCRIPTION	INI
1	15/5-26	Ændret til Asböck lygter	CL
2	22/5-26	Ændret til version uden håndtag 21-02791 og 21-02788 udskiftet med 21-01731 og 21-02626	CL
3			
4			
5			

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	CL
	Mass: 155,9 kg	Date: 04-02-2026

Plate thickness:	Material:
Surface:	Bending matrix:
Title: Tragt komplet TP216 Complet funnel TP216	Draw. no.: 21-02787



Item	Qty	Description	Description	Part no	
24	2	Prop for ansalg	Plug for impact	17-02615	
23	1	Sikkerhedsbøjle	Safetybar	21-02635	
22	1	Tragthåndtag, komplet	Funnel handle, complete	510370	N/A
21	4	Bøsning Ø30/13-35,5	Bushing Ø30/13-35,5	17-02616	
20	2	SCB 38 washer		20043421	
19	2	SCBR38		20043411	
18	1	Sikringssplit Ø6x27/32	Ring pin, Ø6x27/32	20040482	
17	1	Meterkæde for lang tragt	Metre chain for long funnel	51004930	
16	4	Bøsning plast Ø12 / 8 - 8	Bushing plastic Ø12 / 8 - 8	20040934	
15	2	Fjeder 3,4X21X122	Spring 3,4X21X122	20042250	
14	1	Easy control betjeningspanel højre		17-01276	
13	1	Easy control betjeningspanel venstre		17-01308	
12	2	Holder til gummistop	Bracket for bumpers	28-00595	
11	4	Anslagsmuffe Ø30X20	Vibration absorber ø30x20	20040008	
10	4	Stabilisatorstang	Stabalizing rod	28-00605	
9	1	Stabilisatorstang for lang tragt	Stabilizer rod for long funnel	21-01774	
8	2	Spændeplade for rørbærer	Tighten plate for pipe support	20040481	
7	4	Rørbærer 22mm	Pipe support 22mm	20040480	
6	1	Afstivningsbeslag venstre	Reinforcement bracket left	21-02525	
5	1	Afstivningsbeslag højre	Reinforcement bracket right	21-02519	
4	2	hus til bøsning		17-01268	
3	1	Sideplade højre		21-02627	
2	1	venstre sideplade		21-02631	
1	1	Bundplade svejst		21-02629	

Rev	Date	DESCRIPTION	INI
1			

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	cl
	Mass: 81,1 kg	Date: 25-02-2025

Plate thickness:


Material:


Surface:


Bending matrix:

Title: Klapbar tragt HD

Draw. no.: 21-02626







Afstand til sensor justeres til 1 mm

Item	Qty	Description	Description	Part no	
20	1	Nødstoptryk m. kontakt	Emergency stop	20043035	
19	6	Vibrationsdæmper Ø20/15xM6	Vibration absorber Ø20/15xM6	20043008	
10	1	Gummi clamp Ø11,1	Rubber clamp Ø11,1	20041981	
9	1	Sensor Ø18 induktiv	Sensor Ø18 inductive	20060623	R
8	4	Popnitte 8 mm, 6 kantet	Rivet nut 8 mm, 6 edge	20030331	
7	4	Trykfjeder, Ø9x25		20042813	
6	2	Induktiv føler M12 NPN	Induktiv sensor M12 NPN	20042016	R
4	1	Basisplade E-control højre		17-01283	
3	1	Dækplade E-control højre		17-01282	
2	2	Tangent til E-control	Key for E-control	28-00416	
1	4	Vibrationsdæmper Ø20xM6	Vibration absorber Ø20xM6	20040542	

Rev	Date	DESCRIPTION	INI
1	9/4-20	16-00342 udskiftet med 23-00200	CL
2	9-11-22	23-00200 udskiftet med 20043008	IG
3	25-03-25	2stk. trykfjeder pga design ændring	KR
4			
5			

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	cl
	Mass: 2,4 kg	Date: 19-02-2021

Plate thickness:


Material:


Surface:

Bending matrix:

Title: Easy control betjeningspanel højre

Draw. no.: 17-01276





afstand sensor til tangent
justeres til 1 mm

Item	Qty	Description	Description	Part no	
17	1	Nødstoptryk m. kontakt	Emergency stop	20043035	
16	6	Vibrationsdæmper Ø20/15xM6	Vibration absorber Ø20/15xM6	20043008	
8	4	Trykfjeder, Ø9x25		20042813	
7	1	Gummi clamp Ø11,1	Rubber clamp Ø11,1	20041981	
6	2	Tangent til E-control	Key for E-control	28-00416	
5	4	Popnitte 8 mm, 6 kantet	Rivet nut 8 mm, 6 edge	20030331	
4	2	Induktiv føler M12 NPN	Induktiv sensor M12 NPN	20042016	R
3	4	Vibrationsdæmper Ø20xM6	Vibration absorber Ø20xM6	20040542	
2	1	Dækplade til easycontrol venstre		17-01306	
1	1	Basisplade E-control venstre		17-01307	

Rev	Date	DESCRIPTION	INI
1	9/4-21	16-00342 udskiftet med 23-00200	CL
2	9-11-22	23-00200 udskiftet med 20043008	IG
3	25-03-25	2stk. trykfjeder pga design ændring	KR
4			
5			

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	cl
	Mass: 2,3 kg	Date: 25-02-2021

Plate thickness:

Material:

Surface:


Bending matrix:

Title: Easy control betjeningspanel venstre

Draw. no.: 17-01308

Engine bonnet and covers

Linddana A/S . Ølholm Bygade 70 . DK-7160 Tørring . T +45 75 80 52 00 . F +45 75 80 54 11 . tp@linddana.com . www.linddana.com



Item	Qty	Description	Description	Part no	
2	1	Motorhjelmssamling	Bonnet assembly	21-02772	Aktiv
1	1	Afdækning under motorhjelm	Coverplates under bonnet	21-02761	

Rev	Date	DESCRIPTION	INI
1			
2			
3			
4			
5			


Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	cl
	Mass: 45,5 kg	Date: 19-01-2026

Plate thickness:	Material:
Surface:	Bending matrix:

Title: Motorhjelm og afdækninger TP216
Bonnet and covers TP216

Draw. no.: 21-02758



Item	Qty	Description	Description	Part no
16	1	Hjørneafstivning	Corner reinforcement	21-02914
15	3	Bitumen plade	Bitumen plate	17-03114
14	1	TP175 Motorhjelm mærkat højre bag	TP175 Bonnet sticker right back	20043296
13	1	TP175 Motorhjelm mærkat venstre bag	TP175 Bonnet sticker left back	20043294
12	1	TP216 Motorhjelm mærkat højre for		20043680
11	1	TP216 Motorhjelm mærkat venstre for		20043679
10	2	Gasdæmper motorhjelm	Gas spring bonnet	20042153
9	2	Beslag for gas fjeder	Fixture for gas spring	16-00164
8	2	L-Håndtag 56.1205-100-xxx	Handle	20043615
7	2	Tunge til håndtag	Latch for handle	17-03113
6	2	Låseblik for TP130-215	Lock plate for TP130-215	17-00756
5	1	Øvre hængsel venstre		21-02773
4	1	Øvre hængsel højre	Upper hinge rigth	21-02745
3	2	Gevindplade	Threadplate	21-02763
2	1	Motorhjelmsplade		21-02779
1	1	Kølergrill	Grill	21-02770

Rev	Date	DESCRIPTION	INI
1	30/4-26	21-02771 ersttattet af 21-02779	CL
2	29/5-26	Klistermærker tilføjet	CL
3	21/8-26	2 stk 21-02777 erstattet af 1 stk 21-02914	CL
4			
5			

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	cl
	Mass: 27,8 kg	Date: 23-01-2026

Plate thickness:


Material:

Surface:

Bending matrix:

Title: Motorhjelmssamling
Bonnet assembly

Draw. no.: 21-02772



Item	Qty	Description	Description	Part no	
10	2	Låsemøtrik M8	Locking nut M8	20030042	
9	2	Nut, M8	Hex Nut M8	20030048	
8	2	Machine bolt M8x40		20030216	
7	2	Centreringsbeslag for TP130-275	Centering plate for TP130-275	17-00753	
6	2	Vibrationsdæmper P 20/15	Vibration absorber P 20/15	20040007	
5	2	Nedre hængselsbeslag	Lower hinge	21-02744	
4	2	Gevindplade	Threadplate	21-02763	
3	1	Venstre sideafdækning	Left cover	21-02762	
2	1	Frontplade afdækning	Front cover	21-02760	
1	1	Højre sideafdækning	Rigth cover	21-02759	

Rev	Date	DESCRIPTION	INI
1			
2			
3			
4			
5			

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	cl
	Mass: 16,8 kg	Date: 21-01-2026

Plate thickness:

Material:


Surface:


Bending matrix:


Title: Afdækning under motorhjelm
Coverplates under bonnet


Draw. no.: 21-02761


Trailer











Item	Qty	Description	Description	Part no	
30	2	Forstærkning	Reinforcement	21-02552	
29	1	Platform	Platform	21-02459	
28	6	Gummi clamp 6mm	Rubber clamp 6mm	20041106	
27	1	Lednings beskyttelse		20040548	
26	4	Dobbel-snap-IN		20041489	
25	1	Bøsning Ø50 / 45 mm	Bushing Ø50 / 45 mm	20041010	
24	2	Asböck ledningsnet drejekrans	Loom 13p 2x10,0m 8p bay 2x7,5m DC	20043664	
23	1	Adapter 7/13 polet	Adapter 7/13 pole	20041479	R
21	1	Trinplade front højre	Stepplate FR	21-01726	
20	1	Bundplade drejekrans	Bottomplate turntable	21-01667	
19	2	Sidemarkeringslygte LED	Side marker light LED	20043668	
18	2	Flatp II WH 1,0m DC 12V	Front light LED with reflector	20043665	
17	2	Beslag positionslys front	Bracket position light front	21-01681	
16	12	GKN Skrue M8x20	GKN Screw M8x20	20030027	
15	1	Forvange	Front beam	21-01678	
14	4	Gummi-gennemføring 18x24x3	Rubber bushing 18x24x3	20041045	
13	2	Platform hjulskærm	Platform wheel cover	21-01670	
12	2	Refleks rød firkantet	Reflex red square	20042114	
11	2	Vange undervogn	Beam for trailer	21-01664	
10	2	Beslag positionslys bag	Bracket position light rear	21-01663	
9	2	Holder for stopklods 250 DHM	Support for backstop 250 DHM	20040969	
8	2	Stopklods 250 DHM	Backstop 250 DHM	20040968	
7	2	Trinplade bag	Stepplate rear	21-01661	
6	1	Platform	Platform	21-02458	
5	4	Trinplade beslag	Stepplate bracket	21-01659	
4	1	Trinplade front venstre	Stepplate FL	21-01658	
3	1	Bagvange	Rear beam	21-01657	
2	2	Slingrelygte	Side light	20040970	
1	2	Hjulskærm	Wheel cover	21-01656	

Rev	Date	DESCRIPTION	INI
1	23/2-24	2 forstærkninger tilføjet	CL

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	UDV
	Mass: 297,8 kg	Date: 22-05-2026

Plate thickness:


Material:

Surface:

Bending matrix:

Title: Undervogn TP216 ZE
Undercarrige TP216 ZE

Draw. no.: 21-02906



Item	Qty	Description	Description	Part no	
31	4	Afstandsplade til drejeskive	Distanceplate turntable	21-02042	
30	2	Cylinderskrue M8x35	Cap screw M8x35	20030338	
29	2	Låsemøtrik M8	Locking nut M8	20030042	
28	1	TP Pilot - Rotorblink med ledningsnet	TP Pilot flashlight	20042866	
27	1	Rørsplit	Pipe pin	20042042	
26	1	Bøsning Ø50 / 45 mm	Bushing Ø50 / 45 mm	20041010	
25	1	Drejekrans TP215	Turntable TP215	21-01899	
24	2	Sidemarkering firkantet	Side marking square	20042122	
23	1	Sidemarkering drejekrans 215 højre	Side marking turn table 215 right	20042215	
22	1	Sidemarkering drejekrans 215 venstre	Side marking turn table 215 left	20042214	
21	2	Arbejdslys holder	Work light support	23-00160	
20	1	Kabel 2500mm CD2500 Walvoil	Cable 2500mm CD2500 Walvoil	20041361-3	
19	1	Split 6x12	Cotter pin 6x12	20041319	
18	1	Gaffel forbindelse 6x24	Fork connection 6x24	20041318	
17	1	Push-Pull udløser	Push-Pull trigger	23-00133	
16	1	Håndtag til drejekrans	Handle for turntable	23-00127	
15	1	Beslag for transportlås	Bracket for transport lock	21-01728	
14	1	Pin for transportlås	Pin for transportation lock	21-01735	
13	2	Justerplade til transportlås	Adjusterplate for transport lock	21-01740	
12	2	Glidebøsning	Slide bushing	23-00200	
11	2	Smørenippel M8x1,25	Grease nipple M8x1,25	20030078	
10	2	Trykfjeder	Pressure spring	20040808	
9	4	Rip-Lock skive 8 mm, stor	Rip-Lock washer 8 mm, large	20030396	
8	2	Sætskrue M8x40	Set screw M8x40	20030409	
7	2	Plade for lukkemekanisme	Plate for locking system	28-00269	
6	2	Akselrør for låsemekanisme	TP 280	28-00270	
5	2	Låsetap	TP 280	28-00272	
4	2	Hængsel til lås	Hinge for lock	28-00274	
3	1	Topplade drejekrans TP215	Topplate turntable TP215	21-01624	
1	1	Transportlås plade	Transport lock plate	21-01727	

Rev	Date	DESCRIPTION	INI
1	25/8-22	afstandsplader 21-02042 tilføjet	CL
2	30/8-22	Kabel ændret fra 2500mm til 2000mm	HK R
3	12/8-24	Kabel ændret fra 2000mm til 2500mm	CL

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	UDV
	Mass: 139,2 kg	Date: 25-01-2023

Plate thickness:


Material:

Surface:

Bending matrix:

Title: Drejekrans kit TP215
Turntable kit TP215

Draw. no.: 21-02299



Item	Qty	Description	Description	Part no	
4	1	Beslag for trækstang	Bracket for drawbar	28-00631	
3	4	Hjul, 195/50 R13C 104/101N	Wheel, 195/50 R13C 104/101N	20042049	
2	1	Bremsekabelbeslag	Brakecablebracket	28-00628	
1	1	Autoflex knott trailer boogie justerbar 2700 kg	Autoflex knott trailer boogie justerbar 2700 kg	20043333	

Rev	Date	DESCRIPTION	INI
1			
2			
3			
4			
5			

Linddana A/S


Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	cl
	Mass: 363,6 kg	Date: 07-05-2024

Plate thickness:	Material:
Surface:	Bending matrix:

Title:	Draw. no.:
Knott trailer 2-akslet justerbar2700 kg	28-00627

Hatz 3H50 diesel

Linddana A/S . Ølholm Bygade 70 . DK-7160 Tørring . T +45 75 80 52 00 . F +45 75 80 54 11 . tp@linddana.com . www.linddana.com



Item	Qty	Description	Description	Part no	
10	1	Dækplade ved elhjørne	Coverplate	21-02909	
5	1	Venstre hjørne ZE		21-02592	
4	1	Elmodul 215 ZE	Controle module 215	21-02587	
2	1	Batteri og motormodul	Battery and motor module	21-02681	
1	1	Remtransmission 215 ZE	V-belt transmission 215 ZE	21-02323	

Rev	Date	DESCRIPTION	INI
1			
2			
3			
4			


Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	cl
	Mass: 487,1 kg	Date: 05-08-2024

Plate thickness:	Material:
Surface:	Bending matrix:

Title: TP215 ZE modulsamling
TP215 ZE module assembly

Draw. no.: 21-02682



Item	Qty	Description	Description	Part no	
5	1	Venstre skærm bag ZE	Left cover rear ZR	21-02908	
4	1	Kabelforskruning M20x1.5	Cable gland M20x1.5	20043086	
3	1	Beslag for vægindtag	Bracket for wall inlet	17-01556	
2	1	Vægindtag, CEE, 3-pol, 16A, 230V	Wall inlet, CEE, 3-pol, 16A, 230V	20043026	
1	1	Min 16 A - skilt		20042942	


Rev	Date	DESCRIPTION	INI
1	28/5-26	21-02590 erstattet af 21-02908	CL
2			
3			
4			

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	cl
	Mass: 6,9 kg	Date: 05-08-2024

Plate thickness:	Material:
Surface:	Bending matrix:

Title:	Draw. no.:
Venstre hjørne ZE	21-02592



Item	Qty	Description	Description	Part no	
501	1	El diagram/sæt TP215Z	Elec. diagram/set TP215Z	21-02893	
16	2	Beslag for lader	Bracket for charger	21-02414	
15	1	Beslag for lader	Bracket for charger	21-02501	
14	1	Batteri oplader, HK-MF-DY, 96V, 32A	Battery charger, HK-MF-DY, 96V, 32A	20043314	
13	2	Kabelforskruning, M25x1.5, Ø7-14	Cable gland, M25x1.5, Ø7-14	20043412	
12	3	Kabelforskruning, M25x1.5, Ø9-18	Cable gland, M25x1.5, Ø9-18	20043161	
11	5	M25 Møtrik for forskruning	M25 nut for cable cland	20043198	
10	1	Motorbeslag	Motor bracket	21-02248	
9	1	Beslag for motor og batteri	Bracket for motor and battery	21-02247	
8	2	Fladsikring 12V, 10A	Fuse 12V, 10A	20043028	
7	1	Sikringsholder til 4 fladsikringer	Fusebox	20042689	
6	1	Beslag for sikringsholdere	Bracket for fuse boxes	21-02653	
5	1	Motor SMAC200-210, 96 VDC	Motor SMAC200-210, 96 VDC	20043173	
4	1	Batteri, 96 VDC, 460 Ah, 44 kWh, LFP, n-BMS	Battery, 96 VDC, 460 Ah, 44 kWh, LFP, n-BMS	20043583	
3	1	DC/DC-konverter	DC/DC-converter	20042989	
2	1	Curtis controller, AC-F10-A-96-650-101	Curtis controller, AC-F10-A-96-650-101	20043171	
1	1	Relæ, 65/12 VDC, 500 AMP		20042784	

Rev	Date	DESCRIPTION	INI
1	26/03-25	Pos. 6, 7 & 8 tilføjet	JH
2	08/05-26	Pos. 501 erstattet	JH
3	11/05-26	Pos. 13 ændret	JH
4			

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	JH
	Mass: 435,6 kg	Date: 31-03-2026

Plate thickness:

Material:


Surface:

Bending matrix:

Title: Batteri og motormodul
Battery and motor module

Draw. no.: 21-02681

501



Item	Qty	Description	Description	Part no	
6	1	Feder 12x8x63	Key 12x8x63	20042102	
5	1	Taper lock 2517 ø38 x 10	Taper lock 2517 ø38 x 10	20043189	
4	3	kilerem SPB 1850		20043188	
3	1	Taper-lock bøsning 3020x40	Taper-lock bushing 3020x40	20042085	
2	1	Ø335x3 SPB remskive	Ø335x3 SPB pulley	20042158	
1	1	Ø160x3 SPB remskive	Ø160x3 SPB pulley	20042855	


Rev	Date	DESCRIPTION	INI

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	cl
	Mass: 27,6 kg	Date: 03-02-2023

Plate thickness:	Material:
Surface:	Bending matrix:

Title:	Draw. no.:
Remtransmission 215 ZE V-belt transmission 215 ZE	21-02323



Item	Qty	Description	Description	Part no	
12	1	Forplade		21-02588	
11	1	Nøglelås, 2-pos	Key Lock, 2-pos	20043006	
10	1	Kabelforskruning M20x1.5	Cable gland M20x1.5	20043086	
9	1	XAPD1201		20043184	
8	1	Beslag til nøglegreb	Bracket for keybox	21-02307	
7	1	TP Pilot +	Display & control	20042806	
6	1	Holder til Pilot+	Fixture for Pilot+	17-01238	
5	1	Topplade		21-02564	
4	1	Ledningsnet TP215 e-control	Wiring harness TP215 e-control	21-02568	
3	4	Vibrationsdæmper Ø20xM6	Vibration absorber Ø20xM6	20040542	
2	1	Bagplade	Backplate	21-02558	
1	1	Kabelbakke	Cabletray	21-02559	

Rev	Date	DESCRIPTION	INI
1			
2			
3			
4			
5			


Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	cl
	Mass: 8,3 kg	Date: 12-07-2024

Plate thickness:	Material:
Surface:	Bending matrix:


Title:	Draw. no.:
Elmodul 215 ZE Controle module 215	21-02587

Diagrams





Orientation of FWD connection



Orientation of REV connection


Connectors

CAN bus	: Superseal
Sensors	: M12
E-stop	: Terminal pins
REV and FWD-valve	: Hirschmann
Start/stop	: 6,3mm flat connector reciever
TP starter	: Superseal
12V DC	: Superseal
Tank gauge	: Superseal

Rev	Date	DESCRIPTION	INI
1	27/3-24	Lengths on FWD and REV cables changed. Orientation of hirsmann connector changed	CL
2	21-01-25	Lengths on FWD and REV valves cable extended 100mm	KR

Linddana A/S

Tolerances: ISO 2768-1-m	Tolerances welding draw.: ISO 2768-1-c	Sign.: cl
	Mass: 14,0 kg	Date: 21-02-2024
Plate thickness:	Material:	
Surface:	Bending matrix:	
Title: Ledningsnet TP215M E-control		Draw. no.: 21-02568



1
Cable harness, electrical cabinet
Item no. 21-02894, 1 pcs

2
Cable harness, outside
Item no. 21-02895, 1 pcs

3
Charge cable
Item no. 21-02531, 1 pcs

4
Motor cable
Item no. 21-02334, 3 pcs

5
Safety switch cable
Item no. 21-02344, 1 pcs

6
Power cable
Item no. 21-02393, 1 pcs

7
Power cable
Item no. 21-02535, 1 pcs
Included in battery pack

8
Power cable
Item no. 21-02536, 1 pcs
Included in battery pack

9
Power cable
Item no. 21-02538, 1 pcs
Included in charger pack

10
Power supply cable
Item no. 21-02521, 1 pcs

Rev	Date	DESCRIPTION	INI
1			
2			
3			
4			


Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	JH
	Mass: 0,0 kg	Date: 07-05-2026

Plate thickness:
Material:
Surface:
Bending matrix:

Title: El diagram/sæt TP215ZE
Electrical diagram/set TP215ZE

Draw. no.: 21-02893



manøvreventil

Rev	Date	Description	Ini
1			
2			
3			
4			
5			

Linddana A/S

Sign.: CL

Date: 07-02-2023

Title: TP 215 MOBILE Hydraulikdiagram
TP 215 MOBILE Hydraulic diagram

Draw. no.: 21-02324

S1:	21-02281	Sugeslange	Suction hose
F1.1 :	31005260	Rørstuds til pumpe	Pipe stub for pump
F1.2	20020066	Vinkelflange 3/4"	Angle flange 3/4"
F2.1:	20020087	Vinkelflange 1/2",	Angle flange 1/2",
F2.2:	20001202	Indskruning ø15L x 1/2" BSP	Insert ø15L x 1/2" BSP
S2:	20043195	Slange 15x750mm 2xlige	Hose 15x1560mm 2xstraight
F2.3	20001202	Indskruning ø15L x 1/2" BSP	Insert ø15L x 1/2" BSP

Manøvreventil


F3.1:	20042821	Indskruning ø22L x 3/4" BSP	Insert ø22L x 3/4" BSP
S3:	20043239	3/4" slange x 1130 mm	Hose 3/4" x 1100 mm
F3.2:	20042821	Indskruning ø22L x 3/4" BSP	Insert ø22L x 3/4" BSP

Oil-filter

F5.1:	20042821	Indskruning ø22L x 3/4" BSP	Insert ø22L x 3/4" BSP
S5:	20043238	3/4" slange x 600	Hose 3/4" x 600
F6.1:	20001102	Indskruning ø12 x 1/2" BSP	Insert ø12 x 1/2" BSP
S6:	20043140	Slange 12x 400 mm	Hose12x 400 mm
F6.2	20001102	Indskruning ø12 x 1/2" BSP	Insert ø12 x 1/2" BSP
F7.1	20001102	Indskruning ø12 x 1/2" BSP	Insert ø12L x 1/2" BSP
S7:	51010104	Slange 12x 780 mm	Hose12x 780 mm
F7.2	20001102	Indskruning ø12 x 1/2" BSP	Insert ø12L x 1/2" BSP
F8.1	20001102	Indskruning ø12 x 1/2" BSP	Insert ø12L x 1/2" BSP
S8:	51010104	Slange 12x 780 mm	Hose12x 780 mm
F8.2	20001102	Indskruning ø12 x 1/2" BSP	Insert ø12L x 1/2" BSP

Spout

Linddana A/S . Ølholm Bygade 70 . DK-7160 Tørring . T +45 75 80 52 00 . F +45 75 80 54 11 . tp@linddana.com . www.linddana.com



39	1	Udkasterrør, øverste del	Ejector spout, upper part	21-01696	
38	1	Fjeder 3X21X140	Spring 3X21X140	20040005	
37	2	Logo for udkast til sort bund	Sticker for ejector to black background	20041381	
36	4	Skive 8,4x18x1,5	Washer 8,4x18x1,5	20030062	
35	3	Låsemøtrik M8	Locking nut M8	20030042	
34	2	GKN stålskrue m8x25m		20030305	
33	1	Tudklap, komplet	Deflector, complete	21-00818	
31	1	Sætskrue M8x25	Set screw M8x25	20030004	
30	1	Rip-Lock skive 8 mm, stor	Rip-Lock washer 8 mm, large	20030396	
29	1	Forbindelsesstang	Connecting rod	21-00820	
28	2	Håndtag	Handle	20041311	
27	4	Kontramøtrik M20x1,5 DIN936		20043058	
26	3	Fjederrigellås dorn ø12		20043053	
25	1	Advarselsskilt rotor	Warning sign rotor	20040513	
22	1	Fjeder 15x23x2		20040912	
21	1	Håndtag til vippetud, kompl.	Handle for deflector, compl.	22-00530	
20	1	Sætskrue M8x50	Set screw M8x50	20030410	
19	1	Positionsplade til håndtag	Position plate for handle	22-00541	
18	2	Bøsning med krave Ø24/ø18x30	Bushing with collar Ø24/ø18x30	51000330	
17	1	Udkasterrør position skilt	Ejector spout position sticker	20042043	
16	1	Udkasterrør, nederste del	Ejector spout, bottom part	21-02693	
13	1	Afstandsplade 10 mm	Distance plate 10 mm	21-02696	
12	1	Spændeplade	Clamping plate	21-02694	
11	3	Låseplade	Locking plate	17-02935	
10	1	Spændeplade	Clamping plate	21-02710	
9	1	Afstandsplade 10 mm	Distance plate 10 mm	21-02698	
8	1	Fjederrigellås dorn ø10		20043164	
7	1	Låseklods	Locking block	17-02999	
6	1	Håndtag til excenterlås	Handle for Cam Lever	51000750	
5	1	Sikkerhedsafstand 20m	Safety distance 20m	20040514	
4	1	Aksel til udkasterrør	Axle for ejector spout	21-00821	
3	1	Dupsko GLZ R1, Sort	Ferrule GLZ R1, Black	20041243	
2	1	Gasdæmper Vario Spout	Gas spring Vario Spout	20042184	
1	1	Smørenippel, M6x1	Grease nipple, M6x1	20030234	
Item	Qty	Description	Description	Part no	

Rev	Date	DESCRIPTION	INI

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	JH
	Mass: 62,3 kg	Date: 12-01-2026

Plate thickness:


Material:


Surface:

Bending matrix:

Title: TP Vario Spout
TP Vario Spout

Draw. no.: B21537





Item	Qty	Description	Part no	
22	2	GKN stålskrue m8x25m	20030305	
21	4	Skive 5/16"	20030062	
20	2	Logo for udkast til sort bund	20041381	
19	1	Advarselsskilt rotor	20040513	
18	1	Sikkerhedsafstand 20m	20040514	
17	1	Dupsko DPD 30, Sort	20042183	
16	1	Beslag for flange, komplet	21-01907	
15	1	Beslag for flange, komplet	21-02138	
14	2	Smørenippel, M6x1	20030234	
13	1	Fjeder 3X21X140	20040005	
12	1	Forbindelsesstang	21-00875	
11	1	Sætskrue M8x12	20030001	
10	1	Rip-Lock skive 8 mm, stor	20030396	
9	1	Håndtag til vippetud, kompl.	22-00530	
8	3	Låsemøtrik M8	20030042	
7	1	Sætskrue M8x50	20030410	
6	1	Rip-Lock skive 8 mm, lille	20030391	
5	1	Fjeder 15x23x2	20040912	
4	1	Positionsplade til håndtag	22-00541	
3	1	Håndtag for udkasterrør	17-00570	
2	1	Tudklap, komplet	21-00818	
1	1	Udkasterrør, svejst	21-00868	

Rev	Date	Description	Ini
1	22-08-16	20041243 erstattet med 20042183 DPD 30 dupsko	SS
2	37.20	Notat om buttonhead skrue tilføjet	BS
3			
4			

Linddana A/S

N/A: Not available as spare part.
R: Only available as spare part.


Date: 12-10-2022

Sign.: SS

Title: Udkasterrør
Ejector spout

Draw. no.: B21535

Additional equipment



Item	Qty	Description	Description	Part no	
13	4	Sætskrue M12x35 10.9	Set screw M12x35 10.9	20030314	
12	1	Sætskrue M12x20	Set screw M12x20	20030014	
11	13	Rip-Lock skive 12 mm, lille	Rip-Lock washer 12 mm, small	20030393	
10	4	Rip-Lock skive 10 mm, lille	Rip-Lock washer 10 mm, small	20030392	
9	4	Undersænket skrue M10x30	Countersunk screw M10x30	20030035	
8	8	Bolt til kniv M12x1,5x40	Bolt for knife M12x1,5x40	20030445	
7	2	Kniv for TP216	Knife for TP216	21-02644	
6	2	Kilerem XPA 932		20040939	
5	1	Trekantsafstryger	Triangle wiper	21001230	
4	4	Låsemøtrik M10	Locking nut M10	20030043	
3	1	Modstål, vandret	Anvil, horizontal	21-01045	
2	2	Modstål, lodret - højre+venstre	Counterknife, vertical - right+left	51003850	
1	1	Filterelement HC2 MTC 10		20020262	

Rev	Date	DESCRIPTION	INI
1			
2			
3			
4			
5			

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	cl
	Mass: 10,3 kg	Date: 29-05-2026

Plate thickness:


Material:

Surface:

Bending matrix:

Title: TP SERVICEBOX 216 ZE

Draw. no.: B21636



Item	Qty	Description	Description	Part no	
12	2	Smøreslange 6x2000mm	Grease tube	20043507	
11	2	Smøreslange 6x2300mm	Grease tube	20043506	
10	4	Omløber ø6LL M10x1	Nut ø6LL M10x1	20020567	
9	8	Skærering ø6LL	Cutting ring ø6LL	20020568	
8	2	Vinkel indskruning 90° - ø6LL x M6x1 konisk	Angle fitting	20043470	
7	2	Vinkelindskruning 90 gr ø6LL udv x M8x1,25	Angle fitting	20020604	
6	3	Smøreslange 6x1500mm	Grease tube	20043361	
5	1	Smøreslange 6x900mm	Grease tube	20043362	
4	4	M12 Skotgennemføring med H1 smørenippel	Grease niple fitting	20043490	
3	4	Vinkelfitting ø6 FXEW06LL	Angle fitting	20043489	
2	1	Mærkat centralsmøring	Sticker central grease	17-02667	
1	1	Bagskærm bund v m. centralsmøring	Rear cover bottom l	21-02611	

Rev	Date	DESCRIPTION	INI
1			
2			
3			
4			
5			

Linddana A/S

Tolerances: ISO 2768-1-m	Tolerances welding draw.: ISO 2768-1-c	Sign.: cl
	Mass: 4,0 kg	Date: 29-09-2023

Plate thickness:


Material:

Surface:

Bending matrix:

Title: Centralsmøring TP215

Draw. no.: B21558



Item	Qty	Description	Description	Part no	
7	1	Beslag for værktøjskasse, venstre	Bracket for tool box, left	21-01978	
6	1	Stor værktøjskasse TP 175 Track	Big tool boks TP 175 Track	17-00853	
5	1	Låg til TP 175 Track	Top plate TP 175 Track	17-00850	
4	2	Hængsel til skærm	Hinge for covers	20041923	
3	1	Beslag for værktøjskasse, højre	Bracket for tool box, right	21-01979	
2	1	Spændehaspe	Fasten fixture	20041317	
1	1	Hage	Hook	20041316	

Rev	Date	DESCRIPTION	INI

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	JH
	Mass: 7,0 kg	Date: 09-05-2022

Plate thickness:	Material:
Surface:	Bending matrix:

Title:	Draw. no.:
Komplet værktøjskasse Complete toolbox	B21516