
Spareparts

TP216 Track mechanical Hatz

Direct Drive

A21641

Linddana A/S . Ølholm Bygade 70 . DK-7160 Tørring . T +45 75 80 52 00 . F +45 75 80 54 11 . tp@linddana.com . www.linddana.com



Item	Qty	Description	Description	Part no	
9	1	Mærkatsæt mobil E-control	Stickers mobile E-control	17-03144	
8	1	Rotorhus Track, samling	Rotor housing, assembly	21-02884	N/A
7	1	Tragt komplet TP215	Complet funnel TP215	21-02652	
6	1	Vipbar platform track	Tiltable platform track	21-02600	
5	1	Motorhjelm og afdækninger TP216 Track	Bonnet and covers TP216 Track	21-02875	
4	1	Undervogn	Undercarriage	21-02862	
3	1	Hatz 3H50 motormodul		21-02660	
2	1	Mekanisk remstrammer	Mechanical belt tightener	21-02302	
1	1	Standard dele mobil TP216	Standard parts mobile TP216	21-02815	

Rev	Date	DESCRIPTION	INI

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	cl
	Mass: N/A	Date: 22/5-26


Plate thickness:	Material:
Surface:	Bending matrix:


Title: TP216 Track Mechanical Hatz Direct drive

Draw. no.: A21641

Common parts

Linddana A/S . Ølholm Bygade 70 . DK-7160 Tørring . T +45 75 80 52 00 . F +45 75 80 54 11 . tp@linddana.com . www.linddana.com





Item	Qty	Description	Description	Part no	
5	2	Stop bøsning	Stop bushing	71003490	
4	1	Skærm over indføring, Ubeh.	Cover over in-feed, Untr.	21-00561	
3	1	Bundramme TP216	Frame TP216	21-02816	
2	1	Blokmagnet 20x10x5mm	Magnet 20x10x5mm	20042205	AKT IV
1	1	Afskærmning til sensor	Shield for sensor	81004720	AKT IV

Rev	Date	DESCRIPTION	INI
1	18/5-26	Stopklodser tilføjet	CL
2			
3			
4			

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	JH
	Mass: 79,0 kg	Date: 10-02-2026

Plate thickness:


Material:

Surface:

Bending matrix:

Title: Standard dele mobil TP216
Standard parts mobile TP216

Draw. no.: 21-02815



Item	Qty	Description	Description	Part no	
7	1	Højre vange, kompl.	Right side member, compl.	21-02819	
6	1	Frontvange trailer	Front side member for trailer	21-02821	
5	8	Gummidæmper AMC TF55 CR60	Rubbermount AMC TF55 CR60	20043401	
4	8	Bagplade gummidæmper	Backingplate damper	20043402	
3	4	Dæmperbeslag	Damperbracket	28-00565	
2	1	Venstre vange, kompl.	Left side member, compl.	21-02817	
1	1	Bagvange trailer	Rear side member for trailer	21-02822	


Rev	Date	DESCRIPTION	INI
1			
2			
3			
4			

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	JH
	Mass: 67,8 kg	Date: 10-02-2026

Plate thickness:	Material:
Surface:	Bending matrix:

Title:	Draw. no.:
Bundramme TP216 Frame TP216	21-02816



Item	Qty	Description	Description	Part no	
7	1	Strammearm samling	Tightener arm ass.	21-02303	
6	1	Arm remstrammer	Arm belt tightener	17-01937	
5	1	Rørsplit	Pipe pin	20042042	
4	1	Håndtag remstrammer	Handle for belt tighetener	17-01938	
3	2	Bøsning	Bushing	17-01962	
2	1	Vinkel til aktuator	Angle for actuator	17-01176	
1	1	Håndtag plade 30 x 5-6mm	Handle flat 30 x 5-6mm	20043054	


Rev	Date	DESCRIPTION	INI
1	23/02-24	Tilføjet pos. 3	JH

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	cl
	Mass: 7,4 kg	Date: 16-08-2022

Plate thickness:	Material:
Surface:	Bending matrix:

Title:	Draw. no.:
Mekanisk remstrammer Mechanical belt tightener	21-02302



Item	Qty	Description	Description	Part no
10	1	Afstandsring bred Starter konsol	Distance ring Starter console	21-02651
9	1	Lejeaksel f. remstrammer	Bearing axle f. belt tightener	21-02650
8	2	Sætskrue M12x25	Set screw M12x25	20030015
7	2	Rip-Lock skive 12 mm, lille	Rip-Lock washer 12 mm, small	20030393
6	1	Ø95x3 SPB remskive for TP Starter	Ø95x3 SPB pulley for TP Starter	21-02304
5	2	Kugleleje	Ball bearing	20041872
4	1	Nav til strammearm	Hub for tightener arm	17-01464
3	2	Bøsning	Bushing PAF 35160 P10	20010101
2	1	Låsering, udvendig Ø35 mm	Locking ring, external Ø35 mm	20010103
1	1	Remstrammer beslag	Belt tightner fixture	17-01458

Rev	Date	DESCRIPTION	INI
1	11.03.25	Udskiftet aksel+afstandsring med ny type	KR
2			
3			
4			

Linddana A/S

Tolerances: ISO 2768-1-m	Tolerances welding draw.: ISO 2768-1-c	Sign.: cl
	Mass: 6,0 kg	Date: 25-01-2023

Plate thickness:


Material:


Surface:

Bending matrix:

Title: Strammearm samling
Tightener arm ass.

Draw. no.: 21-02303





Item	Qty	Description	Description	Part no	
9	2	Mærkat tragt advarsel indvendig		20043701	
8	2	Mærkat E-control		20043700	
7	2	Stop skilt	Stop sign	20040987	
6	1	Løftepunkt	Lifting point	20041103	
5	1	Dansk design mærkat		20042783	
4	2	MÆRKAT DO´S & DONT´S Venstre		20043699	
3	1	Læs instruktionsbog		20042709	
2	1	Valse advisering		20042708	
1	2	Mærkat parkerings advarsel		20042704	

Rev	Date	DESCRIPTION	INI
1			
2			
3			
4			
5			

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	cl
	Mass: 0,0 kg	Date: 03-07-2024

Plate thickness:

Material:


Surface:


Bending matrix:


Title: Mærkatsæt mobil E-control
Stickers mobile E-control


Draw. no.: 17-03144

Base module









Item	Qty	Description	Part no	
162	1	Tryk skive	21001890	
161	1	Remskive A 90/2	21005180	
158	1	Rotor, komplet med aksel	21-02641	
145	1	Omdrejningstæller ring	17-02403	
144	1	Støtte til tragt	21-02505	
143	1	Firkantafstryger	22-00038	
86	1	sensorbeslag	21-02419	
84	1	Afstandsring for leje	21-02280	
83	1	Dækplade rotorhus	21-02333	
78	1	Indskruning 12x1/2	20001102	
77	1	Indskruning ø22L x 3/4" BSP	20042821	
75	6	Indskruning ø15L x 1/2" BSP	20001202	
74	1	Manøvere ventil TP Easy Controle	20020588	
73	2	Maskinbolt M16x65	20030026	
72	2	Sætskrue M16x35	20030021	
71	1	Dækplade med møtrikker, bag	21-01085	
70	1	Hovedleje, fast, med hus	21-01046	
69	4	Maskinbolt M16x75	20030190	
68	1	Møtrikplade ved drevside	51003771	
67	8	Rip-Lock skive 16 mm, medium	20030125	
66	1	Hovedleje, bevægeligt, med hus	21-01106	
65	2	Låseblik for TP130-215	17-00756	
64	2	Centreringsbeslag for TP130-275	17-00753	
63	1	Returfilter monteret	21-02326	
59	2	Afstandsplade	21-01994	
58	2	Bundprop Ø22	20042957	R
57	2	Omløber, ø22L, M30x2	20042808	
56	1	Valse aftaster	71004700	
55	4	Sætskrue M12x35 10.9	20030314	
54	1	Holder til føler, komplet	21-01102	
53	4	Undersænket skrue M10x35	20030134	
52	2	Sætskrue M12x25	20030015	
51	3	Sætskrue M8x10	20030196	
50	3	Sætskrue M8x16	20030002	
49	2	Rip-Lock skive 8 mm, stor	20030396	
48	4	Sætskrue M10x25	20030011	
47	2	Nord-Lock skive 12 mm	20030256	
46	1	Smørenippel 1/8"	20030079	
45	1	Fjeder 7x65x250	20043604	
44	3	Stopklods	51001340	
43	1	Valsekonsol, komplet	21-02814	
42	1	Nederste valse	21-01040	
41	1	Leje PCJ 25	20010021	
40	1	Hydraulikmotor W320 WR 322cc	20020019	
39	1	Ring til hydraulikmotor	51003900	
38	1	Dækplade, højre	21-01053	
37	1	Dækplade, venstre	21-01052	
36	1	Skærm for nederste valse	21-01050	
35	12	Rip-Lock skive 10 mm, lille	20030392	
34	4	Undersænket skrue M10x30	20030035	
33	2	Sætskrue M12x45 10.9	20030315	
32	2	Modstål, lodret - højre+venstre	51003850	
31	1	Modstål, vandret	21-01045	
30	1	Gevindplade til modstål	21-01044	
29	1	Møtrikholder	21-00677	
28	8	Popnitte 8 mm, 6 kantet	20030331	
27	3	Sætskrue M12x60	20030383	
26	3	PUR sikkerheds ring ø20x10mm	20041468	
25	1	Dækplade	21-00687	
24	3	Låsemøtrik M12	20030044	
23	6	Undersænket skrue M10x25	20030203	
22	14	Låsemøtrik M10	20030043	
21	1	Sætskrue M10x20	20030212	
20	1	Rip-Lock skive 6 mm, lille	20030390	
19	1	Låsemøtrik M6	20030041	
18	1	Undersænket bolt M6x16	20030155	
17	5	Sætskrue M8x12	20030001	
16	11	Rip-Lock skive 8 mm, lille	20030391	
15	11	Rip-Lock skive 12 mm, lille	20030393	
14	1	Skueglas	20020311	
13	1	Mintor oliepåfyldningshætte	20041358	
12	1	Udluftnings prop 1/4"	20041357	
11	1	Udskifteligt svøb	21-01022	
10	1	Trekantsafstryger	21001230	
9	1	Aksel til rotorhus, øverste	21-01086	
8	2	Bøsning med krave Ø24/ø18x30	51000330	
7	1	Trykfjeder til rotorlås	20040767	
6	1	Rotorlås	51003970	
5	1	Holder til rotorlås	51003990	
4	1	Rotorhus led front	21-01615	
3	1	Rotorhus led bag	21-01614	
2	1	Øvre rotorhus Manuel	21-01596	
1	1	Rotorhus, nedre, manuel	21-02780	
Item	Qty	Description	Part no	

Rev	Date	Description	Ini

Lindana A/S


N/A: Not available as spare part.
R: Only available as spare part.

Date: 10-04-2026

Sign.: JH

Title: Rotorhus Track, samling
Rotor housing, assembly

Draw. no.: 21-02884



Item	Qty	Description	Description	Part no	
5	1	Spændeelement 20A 55/85	Clamping fixture 20A 55/85	20040312	
3	1	Rotor bearbejdning	Rotor machining	21-02764	
1	8	Bolt til kniv M12x1,5x35	Bolt for knife M12x1,5x35	20043520	
2	2	Kniv for TP216	Knife for TP216	21-02644	
4	1	Hovedaksel, glat	Main shaft, smooth	21-02267	

Rev	Date	DESCRIPTION	INI

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	JH
	Mass: 135,3 kg	Date: 30-01-2026

Plate thickness:


Material:

Surface:

Bending matrix:

Title: Rotor, komplet med aksel
Rotor, complete with axle

Draw. no.: 21-02641



Item	Qty	Description	Part no	
6	1	Pakdåse	20010115	
5	1	Ring+simmerring	31001757	
4	1	Simmering CR 54x80x10 Stålhus	20010051	
3	1	Sfærisk rulleleje	20010015	
2	2	Smørenippel M8x1,25	20030078	
1	1	Lejehus f. sfærisk rulleleje	51003810	

Rev	Date	Description	Ini
1			
2			
3			
4			
5			

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	SS
	Mass: 5,0 kg	Date: 06-01-2016

Plate thickness:


Material:

Surface: Sort RAL9004

Bending matrix:

Title: Hovedleje, fast, med hus
Bearing, fixed, with housing

Draw. no.: 21-01046



Item	Qty	Description	Part no	
6	1	Simmering 50x75x10	20010034	
5	1	Simmering CR 54x80x10 Stålhus	20010051	
4	1	Ring 2 f.lejehus	31001759	
3	1	Sfærisk rulleleje	20010015	
2	1	Smørenippel M8x1,25	20030078	
1	1	Lejehus f. sfærisk rulleleje	31001755	

Rev	Date	Description	Ini
1			
2			
3			
4			
5			

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	SS
	Mass: 6,1 kg	Date: 05-02-2016

Plate thickness:


Material:

Surface: Sort RAL9004

Bending matrix:

Title: Hovedleje, bevægeligt, med hus
Bearing, floating, with housing

Draw. no.: 21-01106



Item	Qty	Description	Part no	
15	4	Sætskrue M10x25	20030011	
14	2	Låsemøtrik M10	20030043	
13	6	Rip-Lock skive 10 mm, lille	20030392	
12	2	Undersænket skrue M10x30	20030035	
11	2	Sætskrue M12x35 10.9	20030314	
10	1	Smørenippel 1/8"	20030079	
9	1	Hydraulikmotor W320 WR 322cc	20020019	
8	1	Valsekonsol	21-01509	
7	2	Nord-Lock skive 12 mm	20030256	
6	2	Afskraber	21001245	
5	1	Låsepal	51001480	
4	1	Aksel for øverste valsekonsol	51003480	
3	1	Split 4x32	20030074	
2	1	Leje PCJ 25	20010021	
1	1	Øverste valse - UK	21-02666	

Rev	Date	Description	Ini
1			
2			
3			
4			
5			

Linddana A/S

N/A: Not available as spare part.
R: Only available as spare part.


Date: 10-02-2026

Sign.: JH

Title: Valsekonsol, komplet
Roller console, complete

Draw. no.: 21-02814

Infeed chute and E-control



Item	Qty	Description	Description	Part no	
9	1	Klapbar tragt HD		21-02626	
8	4	Gummi clamp Ø11,1	Rubber clamp Ø11,1	20041981	
7	2	Bøsning for omdrejningspunkt	Bushing for hub	51004870	
6	1	PVC-gardin til tragt TP215		21-01763	
5	2	Beslag for nødstop	Fixture for Emergency stop	17-00621	
4	1	Manual boks	Manual box	20041997	
3	1	Skinne for gardin	Band for curtain	21-00876	
2	2	Vibrationsdæmper P 20/15	Vibration absorber P 20/15	20040007	
1	1	Indertragt, svejst	Inner funnel, welded	21-01731	

Rev	Date	DESCRIPTION	INI
1			
2			
3			
4			
5			


Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	CL
	Mass: 135,2 kg	Date: 07-03-2025

Plate thickness:	Material:
Surface:	Bending matrix:

Title: Tragt komplet TP215
Complet funnel TP215

Draw. no.: 21-02652



Item	Qty	Description	Description	Part no	
24	2	Prop for ansalg	Plug for impact	17-02615	
23	1	Sikkerhedsbøjle	Safetybar	21-02635	
22	1	Tragthåndtag, komplet	Funnel handle, complete	510370	N/A
21	4	Bøsning Ø30/13-35,5	Bushing Ø30/13-35,5	17-02616	
20	2	SCB 38 washer		20043421	
19	2	SCBR38		20043411	
18	1	Sikringssplit Ø6x27/32	Ring pin, Ø6x27/32	20040482	
17	1	Meterkæde for lang tragt	Metre chain for long funnel	51004930	
16	4	Bøsning plast Ø12 / 8 - 8	Bushing plastic Ø12 / 8 - 8	20040934	
15	2	Fjeder 3,4X21X122	Spring 3,4X21X122	20042250	
14	1	Easy control betjeningspanel højre		17-01276	
13	1	Easy control betjeningspanel venstre		17-01308	
12	2	Holder til gummistop	Bracket for bumpers	28-00595	
11	4	Anslagsmuffe Ø30X20	Vibration absorber ø30x20	20040008	
10	4	Stabilisatorstang	Stabalizing rod	28-00605	
9	1	Stabilisatorstang for lang tragt	Stabilizer rod for long funnel	21-01774	
8	2	Spændeplade for rørbærer	Tighten plate for pipe support	20040481	
7	4	Rørbærer 22mm	Pipe support 22mm	20040480	
6	1	Afstivningsbeslag venstre	Reinforcement bracket left	21-02525	
5	1	Afstivningsbeslag højre	Reinforcement bracket right	21-02519	
4	2	hus til bøsning		17-01268	
3	1	Sideplade højre		21-02627	
2	1	venstre sideplade		21-02631	
1	1	Bundplade svejst		21-02629	

Rev	Date	DESCRIPTION	INI
1			

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	cl
	Mass: 81,1 kg	Date: 25-02-2025

Plate thickness:


Material:


Surface:


Bending matrix:

Title: Klapbar tragt HD

Draw. no.: 21-02626







Afstand til sensor justeres til 1 mm

Item	Qty	Description	Description	Part no	
20	1	Nødstoptryk m. kontakt	Emergency stop	20043035	
19	6	Vibrationsdæmper Ø20/15xM6	Vibration absorber Ø20/15xM6	20043008	
10	1	Gummi clamp Ø11,1	Rubber clamp Ø11,1	20041981	
9	1	Sensor Ø18 induktiv	Sensor Ø18 inductive	20060623	R
8	4	Popnitte 8 mm, 6 kantet	Rivet nut 8 mm, 6 edge	20030331	
7	4	Trykfjeder, Ø9x25		20042813	
6	2	Induktiv føler M12 NPN	Induktiv sensor M12 NPN	20042016	R
4	1	Basisplade E-control højre		17-01283	
3	1	Dækplade E-control højre		17-01282	
2	2	Tangent til E-control	Key for E-control	28-00416	
1	4	Vibrationsdæmper Ø20xM6	Vibration absorber Ø20xM6	20040542	

Rev	Date	DESCRIPTION	INI
1	9/4-20	16-00342 udskiftet med 23-00200	CL
2	9-11-22	23-00200 udskiftet med 20043008	IG
3	25-03-25	2stk. trykfjeder pga design ændring	KR
4			
5			

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	cl
	Mass: 2,4 kg	Date: 19-02-2021

Plate thickness:


Material:


Surface:

Bending matrix:

Title: Easy control betjeningspanel højre

Draw. no.: 17-01276





afstand sensor til tangent
justeres til 1 mm

Item	Qty	Description	Description	Part no	
17	1	Nødstoptryk m. kontakt	Emergency stop	20043035	
16	6	Vibrationsdæmper Ø20/15xM6	Vibration absorber Ø20/15xM6	20043008	
8	4	Trykfjeder, Ø9x25		20042813	
7	1	Gummi clamp Ø11,1	Rubber clamp Ø11,1	20041981	
6	2	Tangent til E-control	Key for E-control	28-00416	
5	4	Popnitte 8 mm, 6 kantet	Rivet nut 8 mm, 6 edge	20030331	
4	2	Induktiv føler M12 NPN	Induktiv sensor M12 NPN	20042016	R
3	4	Vibrationsdæmper Ø20xM6	Vibration absorber Ø20xM6	20040542	
2	1	Dækplade til easycontrol venstre		17-01306	
1	1	Basisplade E-control venstre		17-01307	

Rev	Date	DESCRIPTION	INI
1	9/4-21	16-00342 udskiftet med 23-00200	CL
2	9-11-22	23-00200 udskiftet med 20043008	IG
3	25-03-25	2stk. trykfjeder pga design ændring	KR
4			
5			

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	cl
	Mass: 2,3 kg	Date: 25-02-2021

Plate thickness:

Material:

Surface:


Bending matrix:

Title: Easy control betjeningspanel venstre

Draw. no.: 17-01308

Engine bonnet and covers

Linddana A/S . Ølholm Bygade 70 . DK-7160 Tørring . T +45 75 80 52 00 . F +45 75 80 54 11 . tp@linddana.com . www.linddana.com



Item	Qty	Description	Description	Part no	
2	1	Motorhjelmssamling	Bonnet assembly	21-02874	
1	1	Afdækning under motorhjelm	Coverplates under bonnet	21-02761	

Rev	Date	DESCRIPTION	INI


Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	cl
	Mass: 65,1 kg	Date: 01-04-2026

Plate thickness:	Material:
Surface:	Bending matrix:

Title: Motorhjelm og afdækninger TP216 Track
Bonnet and covers TP216 Track

Draw. no.: 21-02875



Item	Qty	Description	Description	Part no	
36	9	Bitumen plade	Bitumen plate	17-03114	
34	1	Hjørneafstivning	Corner reinforcement	21-02914	
33	6	Popnitte 8 mm, 6 kantet	Rivet nut 8 mm, 6 edge	20030331	AKT IV
32	16	Rip-Lock skive 6 mm, lille	Rip-Lock washer 6 mm, small	20030390	
31	13	Rip-Lock skive 8 mm, lille	Rip-Lock washer 8 mm, small	20030391	
30	2	RØRSTIFT ISO8752 A2 3,5X8	Spring pin ø3,5x8	20043682	
29	8	M6 x 20 Skrue, panhoved med TX-kærv		20043692	
28	8	Låsemøtrik M6	Locking nut M6	20030041	
27	11	M8 x 20 Skrue, panhoved med TX-kærv		20043691	
26	4	Låsemøtrik M8	Locking nut M8	20030042	
25	1	M4 x 35 Torx skrue sort		20043690	
24	1	Endestopskontakt 2xNO	End stop switch 2xNO	20040517	AKT IV
23	1	Hoved til endestopskontakt	Head for end stop switch	20040518	AKT IV
22	1	Venstre dækplade styrepult	Left coverplade controlpanel	21-02883	
21	1	Højre sideplade styrepult	Right sideplate control panel	21-02882	
20	1	Frontplade styrepult	Frontplate controlpanel	21-02881	
19	1	Dækplade	Coverplate	21-02877	
18	1	Beslag venstre for aksler		17-02444	AKT IV
17	1	Beslag højre for aksler	Shaft bracket	17-02443	AKT IV
16	1	Håndtagsholder	Handle support	17-02654	AKT IV
15	2	Kontakt gul	Switch yellow	20041383	AKT IV
14	2	Aksel for manøvrepult	Shaft for controlconsole	16-00254	AKT IV
13	2	KabelL 1000mm CG1000 Walvoil	Walvoil cable	20041355-1	AKT IV
12	2	Mont. hætte ved betjeningsgreb	cover	20020390	AKT IV
11	2	Betjeningshåndtag	Control handle	20020385	AKT IV
10	1	Betjeningsled dobbelt	Control double	20020387	AKT IV
9	2	Gasdæmper motorhjelm	Gas spring bonnet	20042153	AKT IV
8	2	Beslag for gas fjeder	Fixture for gas spring	16-00164	Akti v
7	2	L-Håndtag 56.1205-100-xxx	Handle	20043615	
6	2	Tunge til håndtag	Latch for handle	17-03113	
5	2	Låseblik for TP130-215	Lock plate for TP130-215	17-00756	
4	1	Øvre hængsel venstre		21-02773	
3	1	Øvre hængsel højre	Upper hinge rigth	21-02745	
2	2	Gevindplade	Threadplate	21-02763	Akti v
1	1	Motorhjelmsplade		21-02779	AKT IV
Item	Qty	Description	Description	Part no	

Rev	Date	DESCRIPTION	INI
1	21/8-26	2 stk 21-02777 erstattet af 1 stk 21-02914 - Bitumen plader tilføjet	CL

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	cl
	Mass: 49,2 kg	Date: 01-04-2026

Plate thickness:


Material:

Surface:

Bending matrix:

Title: Motorhjelmssamling
Bonnet assembly

Draw. no.: 21-02874



Item	Qty	Description	Description	Part no	
10	2	Låsemøtrik M8	Locking nut M8	20030042	
9	2	Nut, M8	Hex Nut M8	20030048	
8	2	Machine bolt M8x40		20030216	
7	2	Centreringsbeslag for TP130-275	Centering plate for TP130-275	17-00753	
6	2	Vibrationsdæmper P 20/15	Vibration absorber P 20/15	20040007	
5	2	Nedre hængselsbeslag	Lower hinge	21-02744	
4	2	Gevindplade	Threadplate	21-02763	
3	1	Venstre sideafdækning	Left cover	21-02762	
2	1	Frontplade afdækning	Front cover	21-02760	
1	1	Højre sideafdækning	Rigth cover	21-02759	

Rev	Date	DESCRIPTION	INI
1			
2			
3			
4			
5			

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	cl
	Mass: 16,8 kg	Date: 21-01-2026

Plate thickness:

Material:


Surface:

Bending matrix:

Title: Afdækning under motorhjelm
Coverplates under bonnet

Draw. no.: 21-02761

Trailer



501	1	Hydrauliksæt/diagram	Hydraulic set/diagram	21-02863	
27	1	Track konsol	Track console	21-02835	
26	1	Venstre Vange	Left wing	21-01563	
25	2	Mellemstykke	Spacer Plate	21-01566	
24	2	Mellemstykke	Spacer Plate	21-01573	
23	2	Beslag for 3/2 ventil	Bracket for 3/2 valve	21-02374	
22	2	3/2vejs 3/8 elektrisk omskifterventil, Walvoil DFE		20042449	
21	1	Beslag for ventil	Bracket for valve	21-02367	
20	1	Bund for hydrauliksystem		28-00516	
19	2	Mont.hætte ved ventilblok		20020392	
18	1	Ventilblok manuel dobbelt port	Valveblock manuel double port	20043264	
17	1	Højtryksfilter, FMP Series	High pressure filter, FMP Series	20043328	
16	1	Filterbeslag		28-00518	
15	1	Beslag for trykreducerende ventil	Bracket for pressure reducing valve	21-02885	
14	1	Ventilblok Alu. 3/8	Valve block Alu. 3/8	20042467	
13	1	Trykreduktionsventil, Sterling	Pressure reduction valve, Sterling	20042465	
12	1	Plade for afskærmning	Plate for cover	21-01569	
11	1	Dækplade for slanger, højre	Cover for hoses, right	17-03023	
10	1	Dækplade for slanger, venstre	Cover for hoses, left	17-03026	
9	1	Bælte, komplet	Belt, complete	21-02836	
8	2	Spiralslange, 800 mm	Spiral hose, 800 mm	17-01220	
7	1	Plade for afskærmning	Plate for cover	21-01567	
6	1	Bundplade, front	Bottom plate, front	21-01578	
5	1	Højre Vange	Right wing	21-01562	
4	2	CD kabel, Walvoil, 3000 mm	CD cabel, Walvoil, 3000 mm	20043223	
3	1	Hydraulikpumpesæt, TP216 Track	Hydraulic pump kit, TP216 Track	21-02864	
2	1	Afskærmning for hydraulikventiler	Cover for hydraulic blocks	21-01577	
1	2	Beslag for afstivning	Bracket for reinforcement	21-01565	
Item	Qty	Description	Description	Part no	

Rev	Date	DESCRIPTION	INI


Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	JH
	Mass: 318,2 kg	Date: 09-04-2026

Plate thickness:	Material:
Surface:	Bending matrix:

Title: Undervogn
Undercarriage

Draw. no.: 21-02862



11	1	Hydraulikpumpe, counter clockwise, 8 cm3, Hatz	Hydraulic pump, counter clockwise, 8 cm3, Hatz	20043117	
10	1	Vinkelflange 3/4" BSP - (4) Boltcirkel 40mm	Flange 3/4" BSP - (4) Boltcirkel 40mm	20042952	
9	1	Indskruning ø22L x 3/4" BSP		20042821	
8	1	Sugeslange, Ø34/25 - 1300 mm	Suction hose, Ø34/25 - 1300 mm	21-02582	
7	2	Spændebånd, enkelt HPJ 38	Clamp, single HPJ 38	20040041	
6	1	Rørstuds til pumpe	Pipe stub for pump	31005260	
5	1	Gevindflange 3/4"	Threaded flange 3/4"	20020173	
4	1	Hydr. pump 13,8cm3/U Hatz		20043436	
3	1	PTO sæt, Hatz 3H50	PTO kit, Hatz 3H50	20043430	
2	2	Indskruning ø15L x 1/2" BSP	Sud fitting ø15L x 1/2" BSP	20001202	
1	2	Vinkelflange 1/2", ø35x4 bolt	Elbow 1/2", ø35x4 bolt	20042833	
Item	Qty	Description	Description	Part no	

Rev	Date	DESCRIPTION	INI
1			
2			
3			
4			

Linddana A/S

Tolerances: ISO 2768-1-m	Tolerances welding draw.: ISO 2768-1-c	Sign.: JH
	Mass: 8,6 kg	Date: 30-03-2026

Plate thickness:


Material:

Surface:

Bending matrix:

Title: Hydraulikpumpesæt, TP216 Track
Hydraulic pump kit, TP216 Track

Draw. no.: 21-02864



Item	Qty	Description	Description	Part no	
6	1	Platform track	Platform track	21-02598	
5	1	Håndtag	Handle	20041311	
4	1	Fjederrigellås dorn ø12		20043053	
3	1	Hængselbeslag	Hingebracket	21-02366	
2	1	Skurvognstræk	Tow hitch	20042878	
1	2	Vippebeslag	Tiltbracket	21-02353	

Rev	Date	DESCRIPTION	INI
1	02/12-24	Stopplade fjernet	JH
2			
3			
4			

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	cl
	Mass: N/A	Date: 21-02-2023

Plate thickness:

Material:

Surface:


Bending matrix:

Title: Vipbar platform track
Tiltable platform track

Draw. no.: 21-02600

Hatz 3H50 diesel

Linddana A/S . Ølholm Bygade 70 . DK-7160 Tørring . T +45 75 80 52 00 . F +45 75 80 54 11 . tp@linddana.com . www.linddana.com



Item	Qty	Description	Description	Part no	
8	1	Dækplade ved elhjørne	Coverplate	21-02751	
7	1	Dækplade venstre	Coverplate left	21-02752	
6	1	Støtteplade til tank	Tank support	21-02571	
5	1	Elmodul 215	Controle module 215	21-02560	
4	1	Batterimontage	Battery ass.	21-02533	
3	1	Dieseltank 52 L komplet	Diesel tank 52 L complete	21-00938	N/A
2	1	Hatz 3H50 motorsamling		21-02495	
1	1	Kileremstransmission	V-belt transmission	21-02488	

Rev	Date	DESCRIPTION	INI
1	30/4-26	Kraftigere dækplader 21-02751 erstatter 21-0253, 21-02752 erstatter 21-02551	CL
2			
3			
4			
5			

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	cl
	Mass: 514,6 kg	Date: 12-06-2025

Plate thickness:


Material:

Surface:

Bending matrix:

Title: Hatz 3H50 motormodul

Draw. no.: 21-02660



Item	Qty	Description	Description	Part no	
33	2	SCB25 vibrationsdæmper	SCB Vibrationdamper	20043554	
32	1	Beslag for luftfilter	Bracket for air filter	21-02594	
31	1	Bagerste motorophæng	Rear engine support	21-02580	
30	1	Indsugning mellemstykke	Intake section part	20-00078	
29	1	Ringholder beslag	Ring support bracket	22-00560	
28	1	Indsugningskasse	Suction box	21-01534	
27	1	Indsugningsslange	Intake hose	21-01499	
26	1	Sikringsholder til 4 fladsikringer	Fusebox	20042689	
25	1	Beslag for sikringsholdere	Bracket for fuse boxes	17-00909	
24	1	Kabel, positiv, 35mm²	Cable, positive, 35mm²	20042097	
23	1	Kabel klips, positiv	Cable clip, positiv	20040159	
22	1	Kabel, negativ, 35mm²	Cable, negative, 35mm²	20041914	
21	1	Kabel klips, negativ	Cable clip, negative	20040160	
20	2	Skumfilter side	Foam filter side	21-00751	
19	1	Skumfilter bund og top	Foam filter bottom and top	22-00342	
18	1	Kølerinddækning	Cooler cover	21-01470	
17	1	Filter med beslag	Filter with bracket	21-01480	
16	4	Afstandsskive	Distancewasher	21-02509	
15	1	Dieselpumpe	Fuel pump	02368302_ DMU	R
14	1	Remholder	V-belt support	21-02493	
13	1	Hatz 3H50TICD w.o. PTO		20043315	
12	1	Dieselfilter	Diesel filter	02152000_ DMU	R
11	1	Filterbeslag	Filterbracket	21-02428	
10	1	Gummibøjning 3"	Rubber bend 3"	20041982	
9	1	Indsugningsslange	Intake hose	21-01498	
8	1	Rørbøjle FRS 72-80mm	Pipe shackle FRS 72-80mm	20041927	
7	1	Udstødningssystem	Exhaustsystem	21-01481	
6	1	Køleslange Hatz 3H50TICD	Cooling hose Hatz 3H50TICD	20042904	
5	1	Afstivningsbeslag	Supportbracket	21-01972	
4	1	Beslag til indsugningsslange	Bracket for intake hose	21-01445	
3	1	Filterbeslag	Filterbracket	21-01964	
2	1	Afstivning	Support	21-02018	
1	1	Forreste motorophæng		21-02482	

Rev	Date	DESCRIPTION	INI
1	14/3-24	Sikringsholder og beslag tilføjet	CL
2	29/5-24	Bagerste motorophæng 21-02580 erstatter 21-02499 og 21-02503	CL
3	17/10-24	Pos. 32 tilføjet	JH
4	22/8-25	Gummidæmper tilføjet	CL

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	cl
	Mass: 382,6 kg	Date: 06-10-2023

Plate thickness:


Material:

Surface:

Bending matrix:

Title: Hatz 3H50 motorsamling

Draw. no.: 21-02495




Item	Qty	Description	Description	Part no	
6	1	Batteriholder	Battery support	21-02484	
5	1	Popnitte 8 mm, 6 kantet	Rivet nut 8 mm, 6 edge	20030331	
4	4	Vibrationsdæmper Ø30xM8	Vibration absorber Ø30xM8	20040389	
3	1	Batteri 12V/95Ah	Battery 12V/95Ah	20042117	
2	2	Bespændingsplade, lav 12V/50Ah	Fasten plate, low 12V/50Ah	81001578	
1	1	Batteriplade	Battery plate	21-01453	

Rev	Date	DESCRIPTION	INI
1			
2			
3			
4			
5			

Linddana A/S

Tolerances: ISO 2768-1-m	Tolerances welding draw.: ISO 2768-1-c	Sign.: cl
	Mass: 29,0 kg	Date: 10-11-2023
Plate thickness:	Material:	
Surface:	Bending matrix:	
Title: Batterimontage Battery ass.	Draw. no.: 21-02533	




Item	Qty	Description	Description	Part no	
5	3	Kilerem SPB 1575		20043428	
4	1	Taper-lock bøsning 3020x40	Taper-lock bushing 3020x40	20042085	
3	1	Taper lock 2517 ø50	Taper lock 2517 ø50	20042828	
2	1	Ø335x3 SPB remskive	Ø335x3 SPB pulley	20042158	
1	1	Ø160x3 SPB remskive	Ø160x3 SPB pulley	20042855	

Rev	Date	DESCRIPTION	INI
1			
2			
3			
4			
5			

Linddana A/S

Tolerances: ISO 2768-1-m	Tolerances welding draw.: ISO 2768-1-c	Sign.: cl
	Mass: 25,5 kg	Date: 08-09-2020

Plate thickness:	Material:
Surface:	Bending matrix:
Title: Kileremstransmission V-belt transmission	Draw. no.: 21-02488



Item	Qty	Description	Description	Part no	
9	1	TP Pilot +	Display & control	20042806	
8	1	Forplade		21-02566	
7	1	Holder til Pilot+	Fixture for Pilot+	17-01238	
6	1	Topplade		21-02564	
5	1	Hatz startkontakt	02429000 starting switch IP69K	20043143	
4	1	Ledningsnet TP215 e-control	Wiring harness TP215 e-control	21-02568	
3	4	Vibrationsdæmper Ø20xM6	Vibration absorber Ø20xM6	20040542	
2	1	Bagplade	Backplate	21-02558	
1	1	Kabelbakke	Cabletray	21-02559	

Rev	Date	DESCRIPTION	INI
1			
2			
3			
4			
5			

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	cl
	Mass: 8,2 kg	Date: 16-02-2024

Plate thickness:


Material:

Surface:

Bending matrix:

Title: Elmodul 215
Controle module 215

Draw. no.: 21-02560



Item	Qty	Description	Part no	
4	1	Brændstof niveau føler	20042002	R
3	1	Inspektions låg	20042012	R
2	1	Dieseltank 52 L	21-00939	R
1	1	Tankdæksel	20041416	R

Rev	Date	Description	Ini
1			
2			
3			
4			
5			

Linddana A/S

N/A: Not available as spare part.
See ff. pages


Date: 18-02-2016

Sign.: SS

Title: Dieseltank 52 L komplet
Diesel tank 52 L complete


Draw. no.: 21-00938

Diagrams





Orientation of FWD connection



Orientation of REV connection


Connectors

CAN bus	: Superseal
Sensors	: M12
E-stop	: Terminal pins
REV and FWD-valve	: Hirschmann
Start/stop	: 6,3mm flat connector reciever
TP starter	: Superseal
12V DC	: Superseal
Tank gauge	: Superseal

Rev	Date	DESCRIPTION	INI
1	27/3-24	Lengths on FWD and REV cables changed. Orientation of hirsmann connector changed	CL
2	21-01-25	Lengths on FWD and REV valves cable extended 100mm	KR

Linddana A/S

Tolerances: ISO 2768-1-m	Tolerances welding draw.: ISO 2768-1-c	Sign.: cl
	Mass: 14,0 kg	Date: 21-02-2024
Plate thickness:	Material:	
Surface:	Bending matrix:	
Title: Ledningsnet TP215M E-control		Draw. no.: 21-02568





To be delivered from linddana:
Hatz connector 20043142
Bonnet switch 20040517
Stop 20040518

All protection pipe
POLYFLEX NW13

Key switch (not part of delivery)
20043143
02429000 Starting switch IP69K

Rev	Date	DESCRIPTION	INI
1	29/10-25	Bonnet switch changed	CL
2			
3			
4			
5			


Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	cl
	Mass:	Date: 03-06-2025

Plate thickness:
Material:
Surface:
Bending matrix:

Title: Motorledningsnet TP215 Hatz
Engine Harness TP215 HAtz

Draw. no.: 21-02658




Rev	Date	DESCRIPTION	INI

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	CL
	Mass:	Date: 12/6-2025

Plate thickness:	Material:
Surface:	Bending matrix:

Title:	Draw. no.:
Battery harness TP215/280	21-02659



F1.1: 20043446 Stud fitting, ø8L x 1/4" WD, FXGE08LR14WD
S1: 20042916 Hydraulic hose, 1/4", 900 mm
F1.2 : 20042673 Tee, ø8L, VC08LDKOX

F2.1: 20043446 Stud fitting, ø8L x 1/4" WD, FXGE08LR14WD
S2: 20042916 Hydraulic hose, 1/4", 900 mm

F3.1: 20043115 Reduction, ø15L x ø8L, ER1508LX
S3: 20043114 Hydraulic hose, 1/2", 300 mm

F4.1: 20042675 Stud fitting, ø8L x 1/8" WD, A08LR1/8WDX
S4: 20043386 Hydraulic hose, 1/4", 900 mm
F4.2: 20042678 Tee, ø12L, G12LX
F4.3: 20042733 Reducing adaptor, ø12L x ø8L, ER1208LX

F5.1: 20042675 Stud fitting, ø8L x 1/8" WD, A08LR1/8WDX
S5: 20043386 Hydraulic hose, 1/4", 900 mm

S6: 20043387 Hydraulic hose, 1/4", 800 mm
F6.1: 20001101 Stud fitting, ø12L x 3/8", A12RLWDX

F7.1: 20001106 Stud fitting, ø12L x 3/8", A12RLWDX
S7: 20043208 Hydraulic hose, 3/8", 1700 mm
F7.2: 20001106 Stud fitting, ø12L x 3/8", A12RLWDX

F8.1: 20001106 Stud fitting, ø12L x 3/8", A12RLWDX
S8: 20043208 Hydraulic hose, 3/8", 1700 mm
F8.2: 20001106 Stud fitting, ø12L x 3/8", A12RLWDX

F9.1: 20001106 Stud fitting, ø12L x 3/8", A12RLWDX
S9: 20043208 Hydraulic hose, 3/8", 1700 mm
F9.2: 20001106 Stud fitting, ø12L x 3/8", A12RLWDX

F10.1: 20001106 Stud fitting, ø12L x 3/8", A12RLWDX
S10: 20043208 Hydraulic hose, 3/8", 1700 mm
F10.2: 20001106 Stud fitting, ø12L x 3/8", A12RLWDX

F11.1: 20001102 Stud fitting, ø12L x 1/2"
S11: 20043140 Hydraulic hose, 3/8", 400 mm
F11.2: 20001102 Stud fitting, ø12L x 1/2"

F12.1: 20001202 Stud fitting, ø15L x 1/2"
S12: 51010104 Hydraulic hose, 3/8", 780 mm
F12.2: 20001202 Stud fitting, ø15L x 1/2"

F13.1: 20001202 Stud fitting, ø15L x 1/2"
S13: 51010104 Hydraulic hose, 3/8", 780 mm
F13.2: 20001202 Stud fitting, ø15L x 1/2"
(included in assembly no. 21-02887)

F14.1: 20001209 Stud fitting, ø15L x 3/8" WD, A15LR3/8WDX
S14 20043351 Hydraulic hose, 1/2", 1600 mm
F14.2: 20001209 Stud fitting, ø15L x 3/8" WD, A15LR3/8WDX

F15.1: 20001209 Stud fitting, ø15L x 3/8" WD, A15LR3/8WDX
S15 20043351 Hydraulic hose, 1/2", 1600 mm
F15.2: 20001212 Tee, ø15L, VD15LDKOX
F15.3: 20001209 Stud fitting, ø15L x 3/8" WD, A15LR3/8WDX

F16.1: 20042821 Stud fitting, ø22L x 3/4"
S16: 20043239 Hydraulic hose, 1/2", 1130 mm
F16.2: 20042970 Tee, ø22L, VD22LDKOX
F16.3: 20001212 Tee, ø15L, VD15LDKOX
F16.4 20020624 Reduction, ø22L x ø15L, RL2215DKOX
F16.5: 20001211 Elbow, ø15L, VB15LDKOX
F16.6: 20042821 Stud fitting, ø22L x 3/4"
(included in assembly no. 21-02887)

F17.1: 20042821 Stud fitting, ø22L x 3/4"
S17: 20043238 Hydraulic hose, 1/2", 600 mm
F17.2: 20042970 Tee, ø22L, VD22LDKOX
(included in assembly no. 21-02887)

F18.1: 20040041 Straps 38
S18: 21-02582 Suction hose, 1", 1300 mm
F18.2: 20040041 Straps 38
F18.3: 31005260 Pipe stud 1"
F18.4: 20020173 Flange 3/4"
(included in assembly no. 21-02864)

S19: 20043432 Hydraulic hose, 3/4", 900 mm
F19.1: 20042821 Stud fitting ø22L x 3/4"
F19.2: 20042952 Flange 3/4"

F20.1: 20042833 Flange 1/2"
F20.2: 20001202 Stud fitting, ø15L x 1/2" WD
S20: 20043210 Hydraulic hose, 1/2", 1750 mm
F20.3: 20001209 Stud fitting, ø15L-3/8" WD, A15LR3/8WDX

F21.1: 20042833 Flange 1/2"
F21.2: 20001202 Stud fitting, ø15L x 1/2" WD
S21: 20043210 Hydraulic hose, 1/2", 1750 mm
F21.3: 20001209 Stud fitting, ø15L-3/8" WD, A15LR3/8WDX

F22.1: 20001209 Stud fitting, ø15L x 3/8", A15LR3/8WDX
S22: 20043674 Hydraulic hose, 1/2", 500 mm
F22.2: 20001209 Stud fitting, ø15L x 3/8", A15LR3/8WDX

F23.1: 20001201 Stud fitting, ø15L x 3/4", A15LR3/4WDX
F23.2: 20001212 Tee, ø15L, VD15LDKOX
S23: 20043352 Hydraulic hose, 1/2", 350 mm
F23.3: 20001209 Stud fitting, ø15L x 3/8", A12RLWDX

F24.1: 20001209 Stud fitting, ø15L x 3/8", A15LR3/8WDX
S24: 20043217 Hydraulic hose, 3/8", 300 mm
F24.2: 20001209 Stud fitting, ø15L x 3/8", A15LR3/8WDX

F26.1: 20001209 Stud fitting, ø15L x 3/8" WD, A15LR3/8WDX
S26 20043141 Hydraulic hose, 1/2", 1560 mm
F26.2 20001202 Stud fitting, ø15L x 1/2" WD, A15RLWDX

F27.1: 20001209 Stud fitting, ø15L x 3/8", A15LR3/8WDX
S27: 20043217 Hydraulic hose, 3/8", 300 mm
F27.2: 20001209 Stud fitting, ø15L x 3/8", A15LR3/8WDX

F27.1: 20001209 Stud fitting, ø15L x 3/8", A15LR3/8WDX
S27: 20043217 Hydraulic hose, 3/8", 300 mm
F27.2: 20001209 Stud fitting, ø15L x 3/8", A15LR3/8WDX

K1: 21-02836 Crawler Track Strickland, 1 pcs
(included in assembly no. 21-02862)

K2: 20020019 Feed roller motor, 2 pcs
(included in assembly no. 21-02781 & 21-02814)

K3: 20020588 Valve for feed roller, 1 pcs
(included in assembly no. 21-02781)

K4: 20043264, Valveblock double, 1 pcs
(included in assembly no. 17-02631)

K5: 21-02864 Hydraulic pump set, 1 pcs
(included in assembly no. 21-02862)

K6: 20020261 Filter housing, 1 pcs
(included in assembly no. 21-02781)


K7: 20020262 Filter, 1 pcs
(included in assembly no. 21-02781)


K8: 20042449 3/2-way valve, 3/8", 3 pcs
(included in assembly no. 21-02862)

K9: 20042467 Valve block, 1 pcs
(included in assembly no. 21-02862)

K10: 20042465 Pressure reduction valve, 1 pcs
(included in assembly no. 21-02862)

K11: 20043328 High pressure filter, 1 pcs
(included in assembly no. 21-02862)






Rev	Date	DESCRIPTION	INI	Linddana A/S		
				Tolerances: ISO 2768-1-m	Tolerances welding draw.: ISO 2768-1-c	Sign.: JH
					Mass: 0,0 kg	Date: 25-05-2022
Plate thickness:				Material: Generic		
Surface:				Bending matrix:		
Title: Hydrauliksæt/diagram Hydraulic kit/diagram				Draw. no.: 21-02863		

Spout

Linddana A/S . Ølholm Bygade 70 . DK-7160 Tørring . T +45 75 80 52 00 . F +45 75 80 54 11 . tp@linddana.com . www.linddana.com



Item	Qty	Description	Description	Part no	
39	1	Udkasterrør, øverste del	Ejector spout, upper part	21-01696	
38	1	Fjeder 3X21X140	Spring 3X21X140	20040005	
37	2	Logo for udkast til sort bund	Sticker for ejector to black background	20041381	
36	4	Skive 8,4x18x1,5	Washer 8,4x18x1,5	20030062	
35	3	Låsemøtrik M8	Locking nut M8	20030042	
34	2	GKN stålskrue m8x25m		20030305	
33	1	Tudklap, komplet	Deflector, complete	21-00818	
31	1	Sætskrue M8x25	Set screw M8x25	20030004	
30	1	Rip-Lock skive 8 mm, stor	Rip-Lock washer 8 mm, large	20030396	
29	1	Forbindelsesstang	Connecting rod	21-00820	
28	2	Håndtag	Handle	20041311	
27	4	Kontramøtrik M20x1,5 DIN936		20043058	
26	3	Fjederrigellås dorn ø12		20043053	
25	1	Advarselsskilt rotor	Warning sign rotor	20040513	
22	1	Fjeder 15x23x2		20040912	
21	1	Håndtag til vippetud, kompl.	Handle for deflector, compl.	22-00530	
20	1	Sætskrue M8x50	Set screw M8x50	20030410	
19	1	Positionsplade til håndtag	Position plate for handle	22-00541	
18	2	Bøsning med krave Ø24/ø18x30	Bushing with collar Ø24/ø18x30	51000330	
17	1	Udkasterrør position skilt	Ejector spout position sticker	20042043	
16	1	Udkasterrør, nederste del	Ejector spout, bottom part	21-02693	
13	1	Afstandsplade 10 mm	Distance plate 10 mm	21-02696	
12	1	Spændeplade	Clamping plate	21-02694	
11	3	Låseplade	Locking plate	17-02935	
10	1	Spændeplade	Clamping plate	21-02710	
9	1	Afstandsplade 10 mm	Distance plate 10 mm	21-02698	
8	1	Fjederrigellås dorn ø10		20043164	
7	1	Låseklods	Locking block	17-02999	
6	1	Håndtag til excenterlås	Handle for Cam Lever	51000750	
5	1	Sikkerhedsafstand 20m	Safety distance 20m	20040514	
4	1	Aksel til udkasterrør	Axle for ejector spout	21-00821	
3	1	Dupsko GLZ R1, Sort	Ferrule GLZ R1, Black	20041243	
2	1	Gasdæmper Vario Spout	Gas spring Vario Spout	20042184	
1	1	Smørenippel, M6x1	Grease nipple, M6x1	20030234	

Rev	Date	DESCRIPTION	INI

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	JH
	Mass: 62,3 kg	Date: 12-01-2026

Plate thickness:


Material:


Surface:

Bending matrix:

Title: TP Vario Spout
TP Vario Spout

Draw. no.: B21537





Item	Qty	Description	Part no	
22	2	GKN stålskrue m8x25m	20030305	
21	4	Skive 5/16"	20030062	
20	2	Logo for udkast til sort bund	20041381	
19	1	Advarselsskilt rotor	20040513	
18	1	Sikkerhedsafstand 20m	20040514	
17	1	Dupsko DPD 30, Sort	20042183	
16	1	Beslag for flange, komplet	21-01907	
15	1	Beslag for flange, komplet	21-02138	
14	2	Smørenippel, M6x1	20030234	
13	1	Fjeder 3X21X140	20040005	
12	1	Forbindelsesstang	21-00875	
11	1	Sætskrue M8x12	20030001	
10	1	Rip-Lock skive 8 mm, stor	20030396	
9	1	Håndtag til vippetud, kompl.	22-00530	
8	3	Låsemøtrik M8	20030042	
7	1	Sætskrue M8x50	20030410	
6	1	Rip-Lock skive 8 mm, lille	20030391	
5	1	Fjeder 15x23x2	20040912	
4	1	Positionsplade til håndtag	22-00541	
3	1	Håndtag for udkasterrør	17-00570	
2	1	Tudklap, komplet	21-00818	
1	1	Udkasterrør, svejst	21-00868	

Rev	Date	Description	Ini
1	22-08-16	20041243 erstattet med 20042183 DPD 30 dupsko	SS
2	37.20	Notat om buttonhead skrue tilføjet	BS
3			
4			

Linddana A/S

N/A: Not available as spare part.
R: Only available as spare part.


Date: 12-10-2022


Sign.: SS

Title: Udkasterrør
Ejector spout

Draw. no.: B21535

Additional equipment





17	1	Luftfilter Hatz H50	Airfilter Hatz H50	20042887	
16	1	Oliefilter Hatz H50	Oilfilter Hatz H50	20042886	
15	1	High pressure filter	fhp 10my	20043609	
14	1	Brændstofsforfilter h50 ny type	Fuel pre-filter	20043273	
13	1	Brændstofsfilter h50 Ny type	Fuel filter H50	20043271	
12	4	Sætskrue M12x35 10.9	Set screw M12x35 10.9	20030314	
11	1	Sætskrue M12x20	Set screw M12x20	20030014	
10	13	Rip-Lock skive 12 mm, lille	Rip-Lock washer 12 mm, small	20030393	
9	4	Rip-Lock skive 10 mm, lille	Rip-Lock washer 10 mm, small	20030392	
8	4	Undersænket skrue M10x30	Countersunk screw M10x30	20030035	
7	8	Bolt til kniv M12x1,5x40	Bolt for knife M12x1,5x40	20030445	
6	2	Kniv for TP216	Knife for TP216	21-02644	
5	1	Trekantsafstryger	Triangle wiper	21001230	
4	4	Låsemøtrik M10	Locking nut M10	20030043	
3	1	Modstål, vandret	Anvil, horizontal	21-01045	
2	2	Modstål, lodret - højre+venstre	Counterknife, vertical - right+left	51003850	
1	1	Filterelement HC2 MTC 10		20020262	
Item	Qty	Description	Description	Part no	

Rev	Date	DESCRIPTION	INI
1			
2			
3			
4			
5			

Linddana A/S

Tolerances: ISO 2768-1-m	Tolerances welding draw.: ISO 2768-1-c	Sign.: cl
	Mass: 60,5 kg	Date: 29-05-2026

Plate thickness:


Material:

Surface:

Bending matrix:

Title: TP SERVICEBOX 216 Hatz TRACK

Draw. no.: B21650



Item	Qty	Description	Description	Part no	
12	2	Smøreslange 6x2000mm	Grease tube	20043507	
11	2	Smøreslange 6x2300mm	Grease tube	20043506	
10	4	Omløber ø6LL M10x1	Nut ø6LL M10x1	20020567	
9	8	Skærering ø6LL	Cutting ring ø6LL	20020568	
8	2	Vinkel indskruning 90° - ø6LL x M6x1 konisk	Angle fitting	20043470	
7	2	Vinkelindskruning 90 gr ø6LL udv x M8x1,25	Angle fitting	20020604	
6	3	Smøreslange 6x1500mm	Grease tube	20043361	
5	1	Smøreslange 6x900mm	Grease tube	20043362	
4	4	M12 Skotgennemføring med H1 smørenippel	Grease niple fitting	20043490	
3	4	Vinkelfitting ø6 FXEW06LL	Angle fitting	20043489	
2	1	Mærkat centralsmøring	Sticker central grease	17-02667	
1	1	Bagskærm bund v m. centralsmøring	Rear cover bottom l	21-02611	

Rev	Date	DESCRIPTION	INI
1			
2			
3			
4			
5			

Linddana A/S

Tolerances: ISO 2768-1-m	Tolerances welding draw.: ISO 2768-1-c	Sign.: cl
	Mass: 4,0 kg	Date: 29-09-2023

Plate thickness:


Material:

Surface:

Bending matrix:

Title: Centralsmøring TP215

Draw. no.: B21558



Item	Qty	Description	Description	Part no	
7	1	Beslag for værktøjskasse, venstre	Bracket for tool box, left	21-01978	
6	1	Stor værktøjskasse TP 175 Track	Big tool boks TP 175 Track	17-00853	
5	1	Låg til TP 175 Track	Top plate TP 175 Track	17-00850	
4	2	Hængsel til skærm	Hinge for covers	20041923	
3	1	Beslag for værktøjskasse, højre	Bracket for tool box, right	21-01979	
2	1	Spændehaspe	Fasten fixture	20041317	
1	1	Hage	Hook	20041316	

Rev	Date	DESCRIPTION	INI

Linddana A/S

Tolerances:	Tolerances welding draw.:	Sign.:
ISO 2768-1-m	ISO 2768-1-c	JH
	Mass: 7,0 kg	Date: 09-05-2022

Plate thickness:	Material:
Surface:	Bending matrix:

Title:	Draw. no.:
Komplet værktøjskasse Complete toolbox	B21516